

**STANDARD
TRANSMISSION SERVICE AGREEMENT
FOR
DEVELOPMENT AND OPERATION OF INTRA-STATE
TRANSMISSION SYSTEM**

**FOR TRANSMISSION OF ELECTRICITY THROUGH TARIFF BASED
COMPETITIVE BIDDING FOR**

**CONSTRUCTION OF 220/132/33 KV TIRWA (KANNAUJ)
SUBSTATION WITH ASSOCIATED LINES AND LILO OF ONE CIRCUIT
OF 400 KV D/C (TWIN MOOSE) SHAMLI-ALIGARH LINE AT THDC
2X660 MW KHURJA POWER PLANT**

BETWEEN THE

**PASCHIMANCHAL VIDYUT VITRAN NIGAM LTD.
MADHYANCHAL VIDYUT VITRAN NIGAM LTD.
PURVANCHAL VIDYUT VITRAN NIGAM LTD.
DAKSHINANCHAL VIDYUT VITRAN NIGAM LTD.
KANPUR ELECTRICITY SUPPLY CO. LTD.**

AND

.....

[INSERT THE NAME OF TRANSMISSION SERVICE PROVIDER]

February 20, 2023

CONTENTS

1	Definitions and Interpretations	5
2	Effectiveness and Term of Agreement	18
3	Conditions Subsequent	21
4	Development of the Project	26
5	Construction of the Project.....	31
6	Connection and commissioning of the Project.....	36
7	Operation and Maintenance of the Project.....	41
8	Availability of the project.....	42
9	Insurances	43
10	Billing And Payment of Transmission Charges.....	45
11	Force Majeure.....	46
12	Change in Law	51
13	Events of Default and Termination	54
14	Liability and Indemnification	60
15	Assignments and Charges	66
16	Governing Law and Dispute Resolution.....	68
17	Representation and Warranties	70
18	Independent Engineer	72
19	Miscellaneous Provisions	74

THIS TRANSMISISON SERVICE AGREEMENT (hereinafter referred to as “TSA” or “Agreement” or “the Agreement” or “this Agreement”) is made on the [Insert day] of..... [Insert month] of Two Thousand and..... [Insert Year]

BETWEEN:

Persons whose names, addresses and other details are provided in Schedule 10 of this Agreement (collectively referred to as the "Long Term Transmission Customer(s)" and individually referred to as the “Long Term Transmission Customer”, which expression shall unless repugnant to the context or meaning thereof include its successors, and permitted assigns) as Party of the one part;

AND

..... [Insert Name of the SPV], incorporated under the Companies Act, 1956/ Companies Act, 2013 (as the case may be), having its registered office at (herein after referred to as “Transmission Service Provider” or “TSP”, which expression shall unless repugnant to the context or meaning thereof include its successors, and permitted assigns) as Party of the other part;

(Each of the “Long Term Transmission Customer” or “Long Term Transmission Customers” and “TSP” are individually referred to as “Party” and collectively as the “Parties”)

AND WHEREAS:

- A) In accordance with the Bidding Guidelines, the Bid Process Coordinator (hereinafter referred to as BPC) had initiated a competitive e-reverse bidding process through issue of RFP for selecting a Successful Bidder to build, own, operate and transfer the Project comprising of the Elements mentioned in Schedule 1 (hereinafter referred to as the Project)
- B) Pursuant to the said e-reverse bidding process, the BPC has identified the Successful Bidder, who will be responsible to set up the Project on build, own, operate and transfer basis to provide Transmission Service in accordance with the terms of this Agreement and the Transmission License.
- C) The Selected Bidder have submitted the Contract Performance Guarantee and acquired one hundred percent (100%) of the equity shareholding of **SPV [which is**

under incorporation], along with all its related assets and liabilities in terms of the provisions of the Share Purchase Agreement.

- D) The TSP has agreed to make an application for a Transmission License to the State Commission for setting up the Project on build, own, operate and transfer basis.
- E) The TSP has further agreed to make an application to the State Commission for the adoption of the Transmission Charges under Section 63 of the Electricity Act, 2003, along with a certification from the Bid Evaluation Committee in accordance with the Bidding Guidelines issued by Ministry of Power, Government of India.
- F) The Long Term Transmission Customers agree, on the terms and subject to the conditions of this Agreement, to use the available transmission capacity of the Project and pay to TSP the Transmission Charges as determined in accordance with the terms of this Agreement.
- G) The TSP agrees to the terms and conditions of this agreement, for making available the Intra-State Transmission System and charge the Transmission Charges in accordance with the terms and conditions of this agreement.
- H) The terms and conditions stipulated in the Transmission License issued by the State Commission to the TSP shall be applicable to this Agreement and the TSP agrees to comply with these terms and conditions. In case of inconsistency between the Transmission License terms & conditions and the conditions of this Agreement, the conditions stipulated in the Transmission License granted by the State Commission shall prevail.

NOW, THEREFORE, IN CONSIDERATION OF THE PREMISES AND MUTUAL AGREEMENTS, COVENANTS AND CONDITIONS SET FORTH HEREIN, IT IS HEREBY AGREED BY AND BETWEEN THE PARTIES HERETO AS FOLLOWS:

ARTICLE: 1

1 DEFINITIONS AND INTERPRETATIONS

1.1 Definitions:

- 1.1.1 The words / expressions used in this Agreement, unless as defined below or repugnant to the context, shall have the same meaning as assigned to them by the Electricity Act, 2003 and the rules or regulations framed there under including those issued / framed by the State Commission (as defined hereunder), as amended or re-enacted from time to time or the General Clauses Act, failing which it shall bear its ordinary English meaning.

The words/expressions when used in this Agreement shall have the respective meanings as specified below:

“Acquisition Price” shall have the same meaning as defined in the Share Purchase Agreement;

“Act” or **“Electricity Act”** or **“Electricity Act 2003”** shall mean the Electricity Act, 2003 and any amendments made to the same or any succeeding enactment thereof;

“Affiliate” shall mean a company that either directly or indirectly

- i. controls or
- ii. is controlled by or
- iii. is under common control with

a Bidding Company (in the case of a single company) or a Member (in the case of a Consortium) and **“control”** means ownership by one entity of at least twenty six percent (26%) of the voting rights of the other entity;

“Allocated Project Capacity” shall mean, for each Long Term Transmission Customer, the sum of the generating capacities allocated to such Long Term Transmission Customer from the ISGS and the contracted power, if any, as adopted by UPERC from time to time in determining sharing of transmission charges between the Long Term Transmission Customers;

“Availability” in relation to the Project or in relation to any Element of the Project, for a given period shall mean the time in hours during that period the Project is capable to transmit electricity at its Rated Voltage and shall be expressed in percentage of total hours in the given period and shall be calculated as per the procedure contained in **as defined in Uttar Pradesh Electricity Regulatory Commission (Multi Year Tariff for Distribution and Transmission) Regulations, 2019**, as amended from time to time, attached herewith in Schedule 6;

“Bid” shall mean technical bid and financial bid submitted by the Bidder, in response to the RFP, in accordance with the terms and conditions of the RFP;

“Bid Deadline” shall mean the last date and time for submission of the Bid in response to RFP, as specified in the RFP;

“Bidding Company” shall refer to such single company that has made a Response to RFP for the Project;

“Bidding Consortium / Consortium” shall refer to a group of companies that has collectively made a Response to RFP for the Project;

“Bid Documents” or **“Bidding Documents”** shall mean the RFP, along with all attachments thereto or clarifications thereof;

“Bidding Guidelines” shall mean the “Tariff Based Competitive Bidding Guidelines for Transmission Service” and “Guidelines for Encouraging Competition in Development of Transmission Projects” issued by Government of India, Ministry of Power under Section – 63 of the Electricity Act as amended from time to time;

“Bid Process Coordinator” or **“BPC”** shall mean a person or its authorized representative as notified by the Government of India, responsible for carrying out the process for selection of Bidder who will acquire Transmission Service Provider;

“Business Day” shall mean a day other than Sunday or a statutory holiday, on which the banks remain open for business in the State in which the concerned Long Term Transmission Customer’s registered office is located and the concerned TSP are located;

“CEA” shall mean the Central Electricity Authority constituted under Section -70 of the Electricity Act;

“Change in law” shall have the meaning ascribed thereto in Article 12;

“Commercial Operation Date” or **“COD”** shall mean the date as per Article 6.2;

“Commission” or **“CERC”** shall mean the Central Electricity Regulatory Commission referred to in sub-section (1) of Section 76 of the Electricity Act, 2003 or its successors and assigns;

“Competent Court of Law” shall mean the Supreme Court or any High Court, or any tribunal or any similar judicial or quasi-judicial body in India that has jurisdiction to adjudicate upon issues relating to the Project;

“Connection Agreement” shall mean the agreement between the CTU or STU or any other concerned parties and the TSP, setting out the terms relating to the connection of the Project to the Inter-connection Facilities and use of the Inter State Transmission System as per the provisions of the IEGC, as the case may be;

“Consultation Period” shall mean the period of sixty (60) days or such longer period as the Parties may agree, commencing from the date of issue of a TSP’s Preliminary Notice or a Long Term Transmission Customer’s Preliminary Termination Notice, as provided in Article 13 of this Agreement, for consultation between the Parties to mitigate the consequence of the relevant event having regard to all the circumstances;

“Consents, Clearances and Permits” shall mean all authorizations, licenses, approvals, registrations, permits, waivers, privileges, acknowledgements, agreements, or concessions required to be obtained from or provided by any concerned authority for the development, execution and operation of Project including without any limitation for the construction, ownership, operation and maintenance of the Transmission Lines and/or sub-stations;

“Construction Period” shall mean the period from (and including) the Effective Date of the Transmission Service Agreement up to (but not including) the COD of the Element of the Project in relation to an Element and up to (but not including) the COD of the Project in relation to the Project;

“Contractors” shall mean the engineering, procurement, construction, operation & maintenance contractors, surveyors, advisors, consultants, designers, suppliers to the TSP and each of their respective sub-contractors (and each of their respective successors and permitted assigns) in their respective capacities as such;

“Contract Performance Guarantee” shall mean the irrevocable unconditional bank guarantee, submitted and to be submitted by the TSP or by the Selected Bidder on behalf of the TSP to the Long Term Transmission Customer(s) from a bank mentioned in Annexure 17 of the RFP, in the form attached here to as Schedule 8, in accordance with Article 3 of this Agreement and which shall include the additional bank guarantee furnished by the TSP under this Agreement;

“Contract Year”, for the purpose of payment of Transmission Charges, shall mean the period beginning on the COD, and ending on the immediately succeeding March 31 and thereafter each period of 12 months beginning on April 1 and ending on March 31 provided that the last Contract Year shall end on the last day of the term of the TSA;

“CTU” or “Central Transmission Utility” shall have same meaning as defined in the Electricity Act, 2003;

“Day” shall mean a day starting at 0000 hours and ending at 2400 hours;

“D/C” shall mean Double Circuit;

“Designated ISTS Customers” or “DICs” shall have the meaning as ascribed in the Sharing Regulations.

“Dispute” shall mean any dispute or difference of any kind between the Parties, in connection with or arising out of this Agreement including any issue on the interpretation and scope of the terms of this Agreement as provided in Article 16;

“Effective Date” for the purposes of this Agreement, shall have the same meaning as per Article 2.1 of this Agreement;

“Electrical Inspector” shall mean a person appointed as such by the State Government under sub-section (1) of Section 162 of the Electricity Act 2003 and also includes Chief Electrical Inspector;

“Electricity Rules 2005” shall mean the rules framed pursuant to the Electricity Act 2003 and as amended from time to time;

“Element” shall mean each Transmission Line or each circuit of the Transmission Lines (where there are more than one circuit) or each bay of Sub-station or

switching station or HVDC terminal or inverter station of the Project, including ICTs, Reactors, SVC, FSC, etc. forming part of the ISTS, which will be owned, operated and maintained by the concerned ISTS Licensee, and which has a separate Scheduled COD as per Schedule 2 of this Agreement and has a separate percentage for recovery of Transmission Charges on achieving COD as per Schedule 5 of this Agreement;

“Event of Default” shall mean the events as defined in Article 13 of this Agreement;

“Expiry Date” shall be the date which is thirty five (35) years from the COD of the Project;

“Financial Closure” shall mean the first Business Day on which funds are made available to the TSP pursuant to the Financing Agreements;

“Financially Evaluated Entity” shall mean the company which has been evaluated for the satisfaction of the financial requirement set forth in the RFP;

“Financing Agreements” shall mean the agreements pursuant to which the TSP is to finance the Project including the loan agreements, security documents, notes, indentures, security agreements, letters of credit and other documents, as may be amended, modified, or replaced from time to time, but without in anyway increasing the liabilities of the Long Term Transmission Customers;

“Financial Year” shall mean a period of twelve months at midnight Indian Standard Time (IST) between 1st April & 31st March;

“Force Majeure” and **“Force Majeure Event”** shall have the meaning assigned thereto in Article 11;

“GOI” shall mean Government of India;

“Grid Code” / “IEGC” or “State Grid Code” shall mean the Grid Code specified by the Central Commission under Clause (h) of sub-section (1) of Section 79 of the Electricity Act and/or the State Grid Code as specified by the concerned State Commission, referred under Clause (h) of sub-section (1) of Section 86 of the Electricity Act 2003, as applicable;

“Independent Engineer” shall mean an agency/ company, appointed by Long Term Transmission Customer in accordance with the Guidelines for Encouraging Competition in Development of Transmission Projects.

“Indian Governmental Instrumentality” shall mean Government of India, Government of any State in India or any ministry, department, board, authority, agency, corporation, commission under the direct or indirect control of Government of India or any State Government or both, any political sub-division of any of them including any court or Commission or tribunal or judicial or quasi-judicial body in India but excluding the CTU, TSP, Designated ISTS Customers and the Long Term Transmission Customer’s;

“Insurances” shall mean the insurance cover to be obtained and maintained by the TSP in accordance with Article 9 of this Agreement;

“Interconnection Facilities” shall mean the facilities as may be set up for transmission of electricity through the use of the Project, on either one or both side of generating station’s / CTU’s / STU’s / ISTS Licensee’s / Designated ISTS Customer’s /Long Term Transmission Customer’s substations (as the case may be) which shall include, without limitation, all other transmission lines, gantries, sub-stations and associated equipments not forming part of the Project;

“Invoice” shall mean a Monthly Transmission Charges Invoice or Monthly Bill comprising the Monthly Transmission Charges, as per Schedule 4 hereof, a Supplementary Invoice or any other Invoice or Bill raised by any of the Parties;

“Licensee” shall be the TSP under this Agreement, consequent to having been awarded a Transmission License by the State Commission and shall be referred to as the TSP or the Licensee, as the context may require in this Agreement;

“ISTS Licensee” shall be the TSP under this Agreement, consequent to having been awarded a Transmission License by the CERC and shall be referred to as the TSP or the ISTS Licensee, as the context may require in this Agreement;

“Law” or “Laws” in relation to this Agreement, shall mean all laws including electricity laws in force in India and any statute, ordinance, rule, regulation, notification, order or code, or any interpretation of any of them by an Indian Governmental Instrumentality having force of law and shall include all rules, regulations, decisions and orders of the State Commission;

“Lead Member of the Bidding Consortium” or “Lead Member” shall mean a company who commits at least 26% equity stake in the Project, meets the technical requirement as specified in the RFP and so designated by other Member(s) in Bidding Consortium;

“Lead Long Term Transmission Customer” shall have the meaning as ascribed thereto in Article 19.1.1 of this Agreement;

“Letter of Credit” or “LC” shall mean an unconditional, irrevocable, revolving Letter of Credit opened by the Long Term Transmission Customer in favour of the TSP with any scheduled bank;

“Lenders” means the banks, financial institutions, multilateral funding agencies, non banking financial companies registered with the Reserve Bank of India (RBI), insurance companies registered with the Insurance Regulatory & Development Authority (IRDA), pension funds regulated by the Pension Fund Regulatory & Development Authority (PFRDA), mutual funds registered with Securities & Exchange Board of India (SEBI), etc., including their successors and assigns, who have agreed on or before COD of the Project to provide the TSP with the debt financing described in the capital structure schedule, and any successor banks or financial institutions to whom their interests under the Financing Agreements may be transferred or assigned;

Provided that, such assignment or transfer shall not relieve the TSP of its obligations to the Long Term Transmission Customers under this Agreement in any manner and shall also does not lead to an increase in the liability of any of the Long Term Transmission Customers;

“Lenders Representative” shall mean the person notified by the Lender(s) in writing as being the representative of the Lender(s) or the Security Trustee and such person may from time to time be replaced by the Lender(s) pursuant to the Financing Agreements by written notice to the TSP;

“Letter of Intent” or “LOI” shall have the same meaning as in the RFP;

“Long Term Transmission Customer” shall mean a person availing or intending to avail access to the Intra-State Transmission System for a period up to twenty-five years (25) or more, and for the purposes of this Project, or any such other person who executes a supplementary agreement for availing transmission service as per the provisions of the TSA;

“Member in a Bidding Consortium / Member” shall mean each company in the Bidding Consortium;

“Month” shall mean a period of thirty (30) days from (and excluding) the date of the event;

“Monthly Transmission Charges” for any Element of the Project, after COD of the Element till COD of the Project, and for the Project after COD of the Project, shall mean the amount of Transmission Charges as specified in Schedule 5 of this Agreement multiplied by no. of days in the relevant month and divided by no. of days in the year;

“National Load Despatch Centre” shall mean the centre established as per sub-section (1) of Section 26 of the Electricity Act 2003;

“Notification” shall mean any notification, issued in the Gazette of India;

“Operating Period” for any Element of the Project shall mean the period from (and including) the COD of such Element of the Project, up to (and including) the Expiry Date and for the Project, shall mean the period from (and including) the COD of the Project, up to (and including) the Expiry Date;

“Parent Company” shall mean an entity that holds at least twenty six percent (26%) of the paid - up equity capital directly or indirectly in the Bidding Company or in the Member in a Bidding Consortium, as the case may be;

“Preliminary Termination Notice” shall mean a Long Term Transmission Customer’s Preliminary Termination Notice as defined in Article 13 of this Agreement;

“Project” shall mean **Construction of 220/132/33 kV Tirwa (Kannauj) substation with associated lines and LILO of one circuit of 400 kV D/C (Twin Moose) Shamli-Aligarh line at THDC 2x660 MW Khurja Power Plant**, as detailed in Schedule 1 of this Agreement;

“Project Assets” shall mean all physical and other assets relating to and forming part of the Project including:

(a) rights over the Site for substations, ROW for transmission lines;

(b) tangible & intangible assets such as civil works and equipment including foundations, embankments, pavements, electrical systems, communication systems, relief centres, administrative offices, Sub-stations, software, tower and sub-stations designs etc;

(c) project facilities situated on the Site;

(d) all rights of the TSP under the project agreements;

(e) financial assets, such as receivables, security deposits etc;

(f) insurance proceeds; and

(g) Applicable Permits and authorisations relating to or in respect of the Transmission System;”

“Project Execution Plan” shall mean the plan referred to in Article 3.1.3(c) hereof;

“Prudent Utility Practices” shall mean the practices, methods and standards that are generally accepted internationally from time to time by electric transmission utilities for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of the Project and which practices, methods and standards shall be adjusted as necessary, to take account of:

- (i) operation, repair and maintenance guidelines given by the manufacturers to be incorporated in the Project,
- (ii) the requirements of Law, and
- (iii) the physical conditions at the Site;
- (iv) the safety of operating personnel and human beings;

“Rated Voltage” shall mean voltage at which the Transmission System is designed to operate or such lower voltage at which the line is charged, for the time being, in consultation with the Central Transmission Utility;

“Rebate” shall have the meaning as ascribed to in Article 10.3 of this Agreement;

“RFP” shall mean Request For Proposal dated February 20, 2023 along with all schedules, annexures and RFP Project Documents attached thereto, issued by the BPC for tariff based competitive bidding process for selection of Bidder as TSP to execute the Project, including any modifications, amendments or alterations thereto;

“RFP Project Documents” shall mean the following documents to be entered into in respect of the Project, by the Parties to the respective agreements:

- a. Transmission Service Agreement,
- b. Share Purchase Agreement,
- c. Any other agreement as may be required;

“RLDC” shall mean the relevant Regional Load Dispatch Centre as defined in the Electricity Act, 2003, in the region(s) in which the Project is located;

“RPC” shall mean the relevant Regional Power Committee established by the Government of India for the specific Region(s) in accordance with the Electricity Act, 2003 for facilitating integrated operation of the Power System in that Region;

“Scheduled COD” in relation to an Element(s) shall mean the date(s) as mentioned in Schedule 2 as against such Element(s) and in relation to the Project, shall mean the date as mentioned in Schedule 2 as against such Project, subject to the provisions of Article 4.4 of this Agreement, or such date as may be mutually agreed among the Parties;

“Scheduled Outage” shall mean the final outage plan as approved by the RPC as per the provisions of the Grid Code;

“Selected Bid” shall mean the technical Bid and the Final Offer of the Selected Bidder submitted during e-reverse bidding, which shall be downloaded and attached in Schedule 7 on or prior to the Effective Date;

“Share Purchase Agreement” shall mean the agreement amongst PFC Consulting Limited, **SPV [which is under incorporation]** and the Successful Bidder for the purchase of one hundred (100%) per cent of the shareholding of the **SPV [which is under incorporation]** for the Acquisition Price, by the Successful Bidder on the terms and conditions as contained therein;

“Site” in relation to a substation, switching station or HVDC terminal or inverter station, shall mean the land and other places upon which such station / terminal is to be established;

“SLDC” shall mean the State Load Despatch Centre established as per sub-section (1) of Section 31 of the Electricity Act 2003;

“State Commission” or **“Appropriate Commission”** shall mean shall mean the Central Regulatory Commission referred to in sub-section (1) of Section 76 of the Electricity Act, or the State Regulatory Commission referred to in Section 82 of the Electricity Act or the Joint Commission referred to in Section 83 of the Electricity Act, as the case may be. In this case the Appropriate Commission is Uttar Pradesh Electricity Regulatory Commission;

“State Government” shall mean the Government of Uttar Pradesh;

“STU” or **“State Transmission Utility”** shall be the Board or the Government company, specified as such by the State Government under sub-section (1) of Section 39 of the Electricity Act 2003;

“Successful Bidder” or **“Selected Bidder”** shall mean the Bidder selected pursuant to the RFP and who has to acquire one hundred percent (100%) equity shares of **SPV [which is under incorporation]**, along with all its related assets and liabilities, which will be responsible as the TSP to establish the Project on build, own, operate and transfer basis as per the terms of the TSA and other RFP Project Documents;

“Supplementary Agreement” shall mean the agreement as annexed hereto in Schedule 11 of this Agreement;

“TSP’s Preliminary Notice” shall mean a notice issued by the TSP in pursuant to the provisions of Article 13.3 of this Agreement;

“Target Availability” shall have the meaning as ascribed hereto in Article 8.2 of this Agreement;

“Technically Evaluated Entity” shall mean the company which has been evaluated for the satisfaction of the technical requirement set forth in RFP;

“Termination Notice” shall mean a **Long Term Transmission Customer’s** Termination Notice given by the **Long Term Transmission Customer** to the TSP

pursuant to the provisions of Articles 3.3.2, 3.3.4, 4.4.2, 5.8, 13.2 and 13.3 of this Agreement for the termination of this Agreement;

“Term of Agreement” for the purposes of this Agreement shall have the meaning ascribed thereto in Article 2.2 of this Agreement;

“Transmission Charges” shall mean the Final Offer of the Selected Bidder during the e-reverse bidding and adopted by the State Commission, payable to the TSP by the Long Term Transmission Customers as per the provisions of TSA;

“Transmission License” shall mean the license granted by the State Commission in terms of the relevant regulations for grant of such license issued under the Electricity Act;

“Transmission Service” shall mean making the Project available as per the terms and conditions of this Agreement and Sharing Regulations;

“Transmission Licensee” shall mean a licensee authorized to establish and operate Transmission Lines by the Appropriate Commission;

“Unscheduled Outage” shall mean an interruption resulting in reduction of the Availability of the Element(s) / Project (as the case may be) that is not a result of a Scheduled Outage or a Force Majeure Event.

“Ultimate Parent Company” shall mean an entity which owns at least twenty six percent (26%) equity in the Bidding Company or Member of a Consortium, (as the case may be) and in the Technically Evaluated Entity and / or Financially Evaluated Entity (as the case may be) and such Bidding Company or Member of a Consortium, (as the case may be) and the Technically Evaluated Entity and / or Financially Evaluated Entity (as the case may be) shall be under the direct control or indirectly under the common control of such entity;

“UPERC” shall mean the Uttar Pradesh Electricity Regulatory Commission or its successors.

1.2 Interpretation:

Save where the contrary is indicated, any reference in this Agreement to:

“Agreement” shall be construed as including a reference to its Schedules, Appendices and Annexures;

“Rupee”, “Rupees” and “Rs.” shall denote lawful currency of India;

“crore” shall mean a reference to ten million (10,000,000) and a **“lakh”** shall mean a reference to one tenth of a million (1,00,000);

"encumbrance" shall be construed as a reference to a mortgage, charge, pledge, lien or other encumbrance securing any obligation of any person or any other type of preferential arrangement (including, without limitation, title transfer and retention arrangements) having a similar effect;

"holding company" of a company or corporation shall be construed as a reference to any company or corporation of which the other company or corporation is a subsidiary;

"indebtedness" shall be construed so as to include any obligation (whether incurred as principal or surety) for the payment or repayment of money, whether present or future, actual or contingent;

"person" shall have the meaning as defined in Section 2 (49) of the Act;

"subsidiary" of a company or corporation (the holding company) shall be construed as a reference to any company or corporation:

- (i) which is controlled, directly or indirectly, by the holding company, or
- (ii) more than half of the issued share capital of which is beneficially owned, directly or indirectly, by the holding company, or
- (iii) which is a subsidiary of another subsidiary of the holding company,

for these purposes, a company or corporation shall be treated as being controlled by another if that other company or corporation is able to direct its affairs and/or to control the composition of its board of directors or equivalent body;

"winding-up", "dissolution", "insolvency", or "reorganization" in the context of a company or corporation shall have the same meaning as defined in the Companies Act, 1956/ Companies Act, 2013 (as the case may be).

1.2.1 Words importing the singular shall include the plural and vice versa.

1.2.2 This Agreement itself or any other agreement or document shall be construed as a reference to this or to such other agreement or document as it may have been, or may from time to time be, amended, varied, novated, replaced or supplemented.

- 1.2.3** A Law shall be construed as a reference to such Law including its amendments or re-enactments from time to time.
- 1.2.4** A time of day shall, save as otherwise provided in any agreement or document be construed as a reference to Indian Standard Time.
- 1.2.5** Different parts of this Agreement are to be taken as mutually explanatory and supplementary to each other and if there is any inconsistency between or among the parts of this Agreement, they shall be interpreted in a harmonious manner so as to give effect to each part.
- 1.2.6** The tables of contents and any headings or sub-headings in this Agreement have been inserted for ease of reference only and shall not affect the interpretation of this Agreement.
- 1.2.7** All interest payable under this Agreement shall accrue from day to day and be calculated on the basis of a year of three hundred and sixty five (365) days.
- 1.2.8** The words “hereof” or “herein”, if and when used in this Agreement shall mean a reference to this Agreement.
- 1.2.9** The contents of Schedule 7 shall be referred to for ascertaining accuracy and correctness of the representations made by the Selected Bidder in Article 17.2.1 hereof.

ARTICLE: 2

2 EFFECTIVENESS AND TERM OF AGREEMENT

2.1 Effective Date:

This Agreement shall be effective from later of the dates of the following events:

- a. The Selected Bidder, on behalf of the TSP, has provided the Contract Performance Guarantee, as per terms of Article 3.1 of this Agreement; and
- b. The Selected Bidder has acquired for the Acquisition Price, one hundred percent (100%) of the equity shareholding of **PFC Consulting Limited** in [Insert Name of the SPV] along with all its related assets and liabilities as per the provisions of the Share Purchase Agreement. and
- c. The Agreement is executed and delivered by the Parties;

2.2 Term and Termination:

- 2.2.1 Subject to Article 2.2.3 and Article 2.4, this Agreement shall continue to be effective in relation to the Project until the Expiry Date, when it shall automatically terminate.
- 2.2.2 Post the Expiry Date of this Agreement, the TSP shall ensure transfer of Project Assets to STU or its successors or an agency as decided by the State Government at zero cost and free from any encumbrance and liability. The transfer shall be completed within 90 days of expiry of this Agreement failing which STU shall be entitled to take over the Project Assets Suo moto.
- 2.2.3 This Agreement shall terminate before the Expiry Date in accordance with Article 13 or Article 3.3.2 or Article 3.3.4.

2.3 Conditions prior to the expiry of the Transmission License

2.3.1 In order to continue the Project beyond the expiry of the Transmission License, the TSP shall be obligated to make an application to the State Commission at least two (2) years before the date of expiry of the Transmission License, seeking the Commission's approval for the extension of the term of the Transmission License up to the Expiry Date.

2.3.2 The TSP shall timely comply with all the requirements that may be laid down by the State Commission for extension of the term of the Transmission License beyond the initial term of twenty-five (25) years & upto the Expiry Date and the TSP shall keep the Long Term Transmission Customers fully informed about the progress on its application for extension of the term of the Transmission License.

2.4 Survival:

The expiry or termination of this Agreement shall not affect any accrued rights, obligations/ roles and liabilities of the Parties under this Agreement, including the right to receive liquidated damages as per the terms of this Agreement, nor shall it effect the survival of any continuing obligations/ roles for which this Agreement provides, either expressly or by necessary implication, which are to survive after the Expiry Date or termination including those under Articles 3.3.3, 3.3.5, Article 9.3 (Application of Insurance Proceeds), Article 11 (Force Majeure), Article 13 (Events of Default and Termination), Article 14 (Liability & Indemnification), Article 16 (Governing Law & Dispute Resolution), Article 19 (Miscellaneous).

2.5 Applicability of the provisions of this Agreement

2.5.1 For the purpose of Availability, Target Availability and the computation of Availability, Incentive, Penalty, the provisions provided in this Agreement shall apply and any future modifications in the relevant Rules and Regulations shall not be applicable for this Project.

2.5.2 For the purposes of this Agreement for Intra State systems developed under the tariff based competitive bidding framework, the provisions relating to the definitions (Availability and COD), Article 3 (Contract Performance Guarantee and Conditions Subsequent), Article 5 (Construction of the Project), Article 6

(Connection and Commissioning of the Project), Article 8 (Target Availability and calculation of Availability), Article 11 (Force Majeure), Article 12 (Change in Law), Article 13 (Event of Default), Article 14 (Indemnification), Article 15 (Assignment and Charges), Articles 16.1, 16.2 and 16.4 (Governing Laws and Dispute Resolution) and Article 17 (representation and warranties of the InSTS Licensee) of this agreement shall prevail.

ARTICLE: 3

3 CONDITIONS SUBSEQUENT

3.1 Satisfaction of conditions subsequent by the TSP

3.1.1 Within ten (10) days from the date of issue of Letter of Intent, the Selected Bidder, shall:

- a. Provide the Contract Performance Guarantee, and
- b. Acquire, for the Acquisition Price, one hundred percent (100%) equity shareholding of **SPV [which is under incorporation]** from **PFC Consulting Limited**, who shall sell to the Selected Bidder, the equity shareholding of **SPV [which is under incorporation]**, along with all its related assets and liabilities.
- c. Execute this Agreement;

The TSP shall, within five (5) working days from the date of acquisition of SPV by the Selected Bidder, undertake to apply to the state Commission for the grant of Transmission License and for the adoption of tariff as required under section-63 of the Electricity Act.

The Selected Bidder, on behalf of the TSP, will provide to the Long Term Transmission Customers the Contract Performance Guarantee for an amount of **Rs. 5.62 Crore (Rupees Five Crore Sixty Two Lakh only)**.

3.1.2 The Contract Performance Guarantee shall be initially valid for a period up to three (3) months after the Scheduled COD of the Project and shall be extended from time to time to be valid for a period up to three (3) months after the COD of the Project. In case the validity of the Contract Performance Guarantee is expiring before the validity specified in this Article, the TSP shall, at least thirty (30) days before the expiry of the Contract Performance Guarantee, replace the Contract Performance Guarantee with another Contract Performance Guarantee or extend the validity of the existing Contract Performance Guarantee until the validity period specified in this Article.

3.1.3 The TSP agrees and undertakes to duly perform and complete the following activities within six (6) months from the Effective Date (except for c) below),

unless such completion is affected due to any Force Majeure Event, or if any of the activities is specifically waived in writing by the Majority Long Term Transmission Customers:

- a. To obtain the Transmission License for the Project from the State Commission;
- b. To obtain the order for adoption of Transmission Charges by the State Commission, as required under Section 63 of the Electricity Act 2003;
- c. To submit to the Lead Long Term Transmission Customers and STU & Independent Engineer, the Project Execution Plan, immediately after award of contract(s) and maximum within one hundred and twenty (120) days from the Effective Date. Also, an approved copy each of Manufacturing Quality Plan (MQP) and Field Quality Plan (FQP) would be submitted to Independent Engineer, Long Term Transmission Customer(s) and STU in the same time period. The TSP's Project Execution Plan should be in conformity with the Scheduled COD as specified in Schedule 2 of this Agreement, and shall bring out clearly the organization structure, time plan and methodology for executing the Project, award of major contracts, designing, engineering, procurement, shipping, construction, testing and commissioning to commercial operation;
- d. To submit to the Long Term Transmission Customers, STU & Independent Engineer a detailed bar (GANTT) chart of the Project outlining each activity (taking longer than one Month), linkages as well as durations;
- e. To submit to the Long Term Transmission Customers & STU, Independent Engineer detailed specifications of conductor meeting the functional specifications specified in RFP;
- f. To achieve Financial Closure;
- g. To provide an irrevocable letter to the Lenders duly accepting and acknowledging the rights provided to the Lenders under the provisions of Article 15.3 of this Agreement and all other RFP Project Documents;
- h. To award the Engineering, Procurement and Construction contract ("EPC contract") for the design and construction of the Project and shall have given to such Contractor an irrevocable notice to proceed; and

3.2 Recognition of Lenders' Rights by the Long Term Transmission Customer

3.2.1 The Long Term Transmission Customer hereby accepts and acknowledges the rights provided to the Lenders as per Article 15.3 of this Agreement and all other RFP Project Documents.

3.3 Consequences of non-fulfilment of conditions subsequent

3.3.1 If any of the conditions specified in Article 3.1.3 is not duly fulfilled by the TSP even within three (3) Months after the time specified therein, then on and from the expiry of such period and until the TSP has satisfied all the conditions specified in Article 3.1.3, the TSP shall, on a monthly basis, be liable to furnish to Long Term Transmission Customers additional Contract Performance Guarantee of **Rs. 0.56 Crore (Rupees Fifty Six Lakh Only)** [additional Contract Performance Guarantee to be computed at ten percent (10%) of the original Contract Performance Guarantee amount as per Article 3.1.1] within two (2) Business Days of expiry of every such Month. Such additional Contract Performance Guarantee shall be provided to Long Term Transmission Customers in the manner provided in Article 3.1.1 and shall become part of the Contract Performance Guarantee and all the provisions of this Agreement shall be construed accordingly. Long Term Transmission Customers shall be entitled to hold and / or invoke the Contract Performance Guarantee, including such additional Contract Performance Guarantee, in accordance with the provisions of this Agreement.

3.3.2 Subject to Article 3.3.4, if:

- (i) the fulfilment of any of the conditions specified in Article 3.1.3 is delayed beyond nine (9) Months from the Effective Date and the TSP fails to furnish additional Contract Performance Guarantee to the Long Term Transmission Customers in accordance with Article 3.3.1 hereof; or
- (ii) the TSP furnishes additional Performance Guarantee to the Long Term Transmission Customers in accordance with Article 3.3.1 hereof but fails to fulfil the conditions specified in Article 3.1.3 within a period of twelve (12) months from the Effective Date,

the Long Term Transmission Customers shall have the right to terminate this Agreement, by giving a Termination Notice to the TSP, in writing, of at least

seven (7) days, with a copy to STU and the Lenders' Representative in order to enable the Lenders to exercise right of substitution in accordance with Article 15.3 of this Agreement.

- 3.3.3** If the Long Term Transmission Customers elects to terminate this Agreement as per the provisions of Article 3.3.2, the TSP shall be liable to pay to the Long Term Transmission Customers an amount of **Rs. 5.62 Crore (Rupees Five Crore Sixty Two Lakh only)** as liquidated damages. The Long Term Transmission Customers shall be entitled to recover this amount of damages by invoking the Contract Performance Guarantee to the extent of liquidated damages, which shall be required by the Long Term Transmission Customers, and the balance shall be returned to TSP, if any.

It is clarified for removal of doubt that this Article shall survive the termination of this Agreement.

- 3.3.4** In case of inability of the TSP to fulfil the conditions specified in Article 3.1.3 due to any Force Majeure Event, the time period for fulfilment of the condition subsequent as mentioned in Article 3.1.3, may be extended for a period of such Force Majeure Event. Alternatively, if deemed necessary, this Agreement may be terminated by the Long Term Transmission Customers by giving a Termination Notice to the TSP, in writing, of at least seven (7) days, with a copy to STU and the Lenders' Representative in order to enable the Lenders to exercise right of substitution in accordance with Article 15.3 of this Agreement and the Contract Performance Guarantee shall be returned as per the provisions of Article 6.5.1.

Provided, that due to the provisions of this Article 3.3.4, any increase in the time period for completion of conditions subsequent mentioned under Article 3.1.3, shall lead to an equal increase in the time period for the Scheduled COD. If the Scheduled COD is extended beyond a period of one hundred eighty (180) days due to the provisions of this Article 3.3.4, the TSP will be allowed to recover the interest cost during construction corresponding to the period exceeding one hundred eighty (180) days by adjustment in the Transmission Charges in accordance with Schedule 9.

- 3.3.5** Upon termination of this Agreement as per Articles 3.3.2 and 3.3.4, the Lead Long Term Transmission Customer may take steps to bid out the Project again.

3.3.6 The Long Term Transmission Customers, on the failure of the TSP to fulfil its obligations, if it considers that there are sufficient grounds for so doing, apart from invoking the Contract Performance Guarantee under para 3.3.3 may also initiate proceedings for blacklisting the TSP as per provisions of Article 13.2 of TSA.

3.4 Progress Reports

The TSP shall notify the Lead Long Term Transmission Customer and STU in writing at least once a Month on the progress made in satisfying the conditions subsequent in Articles 3.1.3.

ARTICLE: 4

4 DEVELOPMENT OF THE PROJECT

4.1 TSP's obligations in development of the Project:

Subject to the terms and conditions of this Agreement, the TSP at its own cost and expense shall observe, comply with, perform, undertake and be responsible:

- a. for procuring and maintaining in full force and effect all Consents, Clearances and Permits, required in accordance with Law for development of the Project;
- b. for financing, constructing, owning and commissioning each of the Element of the Project for the scope of work set out in Schedule 1 of this Agreement in accordance with:
 - i. the Electricity Act and the Rules made thereof;
 - ii. the Grid Code;
 - iii. the CEA Regulations applicable, and as amended from time to time, for Transmission Lines and sub-stations:
 - the Central Electricity Authority (Technical Standards for Connectivity to the Grid) Regulations, 2007;
 - Central Electricity Authority (Technical Standards for construction of Electrical Plants and Electric Lines) Regulation, 2010;
 - Central Electricity Authority (Grid Standard) Regulations, 2010;
 - Central Electricity Authority (Safety requirements for construction, operation and maintenance of Electrical Plants and Electrical Lines) Regulation, 2011;
 - Central Electricity Authority (Measures relating to Safety and Electricity Supply) Regulation, 2010;
 - Central Electricity Authority (Technical Standards for Communication System in Power System Operation) Regulations, 2020.

- iv. Safety/ security Guidelines laid down by the Government;
- v. Prudent Utility Practices, relevant Indian Standards and the Law;

not later than the Scheduled COD as per Schedule 2 of this Agreement;

- c. for entering into a Connection Agreement with the concerned parties in accordance with the Grid Code.
- d. for owning the Project throughout the term of this Agreement free and clear of any encumbrances except those expressly permitted under Article 15 of this Agreement;
- e. to co-ordinate and liaise with concerned agencies and provide on a timely basis relevant information with regard to the specifications of the Project that may be required for interconnecting the Project with the Interconnection Facilities;
- f. for providing all assistance to the Arbitrators as they may require for the performance of their duties and responsibilities;
- g. to provide to the Long Term Transmission Customers and STU, on a monthly basis, progress reports with regard to the Project and its execution (in accordance with prescribed form) to enable the CEA to monitor and co-ordinate the development of the Project matching with the Interconnection Facilities;
- h. to comply with Ministry of Power order no. 25-11/6/2018 – PG dated 02.07.2020 as well as other Guidelines issued by Govt. of India pertaining to this;
- i. to procure the products associated with the Transmission System as per provisions of Public Procurement (Preference to Make in India) orders issued by Ministry of Power vide orders No. 11/5/2018 - Coord. dated 28.07.2020 for transmission sector, as amended from time to time read with Department for Promotion of Industry and Internal Trade (DPIIT) orders in this regard (Procuring Entity as defined in above orders shall deemed to have included Selected Bidder and/ or TSP).

Also, to comply with Department of Expenditure, Ministry of Finance vide Order (Public Procurement No 1) bearing File No. 6/18/2019-PPD dated 23.07.2020, Order (Public Procurement No 2) bearing File No. 6/18/2019-PPD dated 23.07.2020 and Order (Public Procurement No. 3) bearing File No. 6/18/2019-PPD, dated 24.07.2020, as amended from time to time, regarding public procurement from a bidder of a country, which shares land border with India;

- j. to submit to Long Term Transmission Customers information in the prescribed format [To be devised by Long Term Transmission Customers] for ensuring compliance to Article 4.1 i) above.
- k. to comply with all its obligations undertaken in this Agreement.

4.2 Roles of the Long Term Transmission Customers in implementation of the Project:

4.2.1 Subject to the terms and conditions of this Agreement, the Long Term Transmission Customers shall be the holder and administrator of this Agreement and shall inter alia:

- a. appoint an Independent Engineer within 90 days of the Effective Date
- b. provide letters of recommendation to the concerned Indian Governmental Instrumentality, as may be requested by the TSP from time to time, for obtaining the Consents, Clearances and Permits required for the Project;
- c. coordinate among TSP and upstream/downstream entities in respect of Interconnection Facilities; and
- d. monitor the implementation of the Agreement and take appropriate action for breach thereof including revocation of guarantees, cancellation of Agreement, blacklisting etc
- e. provide all assistance to the Arbitrators as required for the performance of their duties and responsibilities; and
- f. perform any other responsibility (ies) as specified in this Agreement.

4.3 Time for Commencement and Completion:

- a. The TSP shall take all necessary steps to commence work on the Project from the Effective Date of the Agreement and shall achieve Scheduled COD of the Project in accordance with the time schedule specified in Schedule 2 of this Agreement;
- b. The COD of each Element of the Project shall occur no later than the Scheduled COD or within such extended time to which the TSP shall be entitled under Article 4.4 hereto.

4.4 Extension of time:

4.4.1 In the event that the TSP is unable to perform its obligations for the reasons solely attributable to the Long Term Transmission Customers, the Scheduled COD shall be extended, by a 'day to day' basis, subject to the provisions of Article 13.

4.4.2 In the event that an Element or the Project cannot be commissioned by its Scheduled COD on account of any Force Majeure Event as per Article 11, the Scheduled COD shall be extended, by a 'day to day' basis for a period of such Force Majeure Event. Alternatively, if deemed necessary, the Long Term Transmission Customers may terminate the Agreement as per the provisions of Article 13.4 by giving a Termination Notice to the TSP, in writing, of at least seven (7) days, with a copy to STU and the Lenders' Representative in order to enable the Lenders to exercise right of substitution in accordance with Article 15.3 of this Agreement.

4.4.3 If the Parties have not agreed, within thirty (30) days after the affected Party's performance has ceased to be affected by the relevant circumstance, on how long the Scheduled COD should be deferred by, any Party may raise the Dispute to be resolved in accordance with Article 16.

4.5 Metering Arrangements:

4.5.1 The TSP shall comply with all the provisions of the IEGC and the Central Electricity Authority (Installation and Operation of Meters) Regulations, 2006 as amended from time to time, with regard to the metering arrangements for the Project. The TSP shall fully cooperate with the CTU / STU / RLDC and extend all necessary assistance in taking meter readings.

4.6 Interconnection Facilities:

- 4.6.1** Subject to the terms and conditions of this Agreement, the TSP shall be responsible for connecting the Project with the interconnection point(s) specified in Schedule 1 of this Agreement. The Interconnection Facilities shall be developed as per the scope of work and responsibilities assigned in Schedule 1 of this Agreement. The Long Term Transmission Customers shall be responsible for coordinating to make available the Interconnection Facilities.
- 4.6.2** In order to remove any doubts, it is made clear that the obligation of the TSP within the scope of the project is to construct the Project as per Schedule-1 of this Agreement and in particular to connect it to the Interconnection Facilities as specified in this Agreement.

ARTICLE: 5

5 CONSTRUCTION OF THE PROJECT

5.1 TSP's Construction Responsibilities:

5.1.1 The TSP, at its own cost and expense, shall be responsible for designing, constructing, erecting, testing and commissioning each Element of the Project by the Scheduled COD in accordance with the Regulations and other applicable Laws specified in Article 4.1 of this Agreement.

5.1.2 The TSP acknowledges and agrees that it shall not be relieved from any of its obligations under this Agreement or be entitled to any extension of time or any compensation whatsoever by reason of the unsuitability of the Site or Transmission Line route(s).

5.1.3 The TSP shall be responsible for obtaining all Consents, Clearances and Permits related but not limited to road / rail / river / canal / power line / crossings, Power and Telecom Coordination Committee (PTCC), defence, civil aviation, right of way / way-leaves and environmental & forest clearances from relevant authorities required for developing, financing, constructing, maintaining/ renewing all such Consents, Clearances and Permits in order to carry out its obligations under this Agreement in general and shall furnish to the the Lead Long Term Transmission Customer such copy/ies of each Consents, Clearances and Permits, on demand. The Long Term Transmission Customers shall provide letters of recommendation to the concerned Indian Governmental Instrumentality, as may be requested by the TSP from time to time, for obtaining the Consents, Clearances and Permits required for the Project.

5.1.4 The TSP shall be responsible for:

- (a) acquisition of land for location specific substations, switching stations or HVDC terminal or inverter stations. Also, the actual location of substations, switching stations or HVDC terminal or inverter stations shall not be beyond 3 Km radius of the location proposed by the BPC in the survey report;
- (b) final selection of Site including its geo-technical investigation;

- (c) survey and geo-technical investigation of line route in order to determine the final route of the Transmission Lines;
- (d) seeking access to the Site and other places where the Project is being executed, at its own risk and costs, including payment of any crop, tree compensation or any other compensation as may be required.

5.1.5 In case the Project involves any resettlement and rehabilitation, the resettlement and rehabilitation package will be implemented by the State Government authorities, for which the costs is to be borne by the TSP and no changes would be allowed in the Transmission Charges on account of any variation in the resettlement and rehabilitation cost. The TSP shall provide assistance on best endeavour basis, in implementation of the resettlement and rehabilitation package, if execution of such package is in the interest of expeditious implementation of the Project and is beneficial to the Project affected persons.

5.2 Appointing Contractors:

5.2.1 The TSP shall conform to the requirements as provided in this Agreement while appointing Contractor(s) for procurement of goods & services.

5.2.2 The appointment of such Contractor(s) shall neither relieve the TSP of any of its obligations under this Agreement nor make the Long Term Transmission Customers liable for the performance of such Contractor(s).

5.3 Monthly Progress Reporting:

The TSP shall provide to the STU, and Long Term Transmission Customers & Independent Engineer, on a monthly basis, progress reports along with likely completion date of each Element with regard to the Project and its execution (in accordance with prescribed form). The Long Term Transmission Customers / STU shall monitor the development of the Project for its timely completion for improving and augmenting the electricity system as a part of its statutory responsibility.

5.4 Quality of Workmanship:

The TSP shall ensure that the Project is designed, built and completed in a good workmanship using sound engineering and construction practices, and using only materials and equipment that are new and manufactured as per the MQP and following approved FQP for erection, testing & commissioning and complying with Indian /International Standards such that, the useful life of the Project will be at least thirty five (35) years from the COD of the Project.

The TSP shall ensure that all major substation equipment / component (e.g. transformers, reactors, Circuit Breakers, Instrument Transformers (IT), Surge Arresters (SA), Protection relays, clamps & connectors etc.), equipment in terminal stations of HVDC installations including Thyristor/ IGBT valves, Converter Transformers, smoothing reactors, Transformer bushings and wall bushings, GIS bus ducts, towers and gantry structures and transmission towers or poles and line materials (conductors, earthwire, OPGW, insulator, accessories for conductors, OPGW & earthwires, hardware fittings for insulators, aviation lights etc), facilities and system shall be designed, constructed and tested (Type test, Routine tests, Factory Acceptance Test (FAT)) in accordance with relevant CEA Regulations and Indian Standards. In case Indian Standards for any particular equipment/ system/ process is not available, IEC/ IEEE or equivalent International Standards and Codes shall be followed.

5.5 Progress Monitoring & Quality Assurance:

- 5.5.1** The Project Execution Plan submitted by the TSP in accordance with Article 3.1.3 c) shall comprise of detailed schedule of all the equipments/items /materials required for the Project, right from procurement of raw material till the dispatch from works and receipt at the site. Further, it should also include various stages of the construction schedule up to the commissioning of the Project.
- 5.5.2** Long Term Transmission Customers & STU & Independent Engineer shall have access at all reasonable times to the Site and to the Manufacturer's works and to all such places where the Project is being executed.
- 5.5.3** Independent Engineer shall ensure conformity of the conductor specifications with the functional specifications specified in RFP.
- 5.5.4** The Independent Engineer shall monitor the following during construction of the Project:
- a) Quality of equipments, material, foundation, structures and workmanship etc. as laid down in Article 5.4 and 6.1.4 of the TSA. Specifically, quality of Substation equipments, transmission line material and workmanship etc. would be checked in accordance with the Article 5.4.
 - b) Progress in the activities specified in Condition Subsequent
 - c) Verification of readiness of the elements including the statutory clearances & completion of civil works, fixing of all components and finalisation of punch points (if any) prior to charging of the elements
 - d) Progress of construction of substation and Transmission Lines
- 5.5.5** The progress shall be reviewed by the Independent Engineer against the Project Execution Plan. The Independent Engineer shall prepare its report on monthly basis and submit the same to Long Term Transmission Customers highlighting the progress achieved till the end of respective month vis-à-vis milestone activities, areas of concern, if any, which may result in delay in the timely completion of the Project. Based on the progress, Long Term Transmission Customers and/ or STU shall issue written instructions to the TSP to take corrective measures, as may be prudent for the timely completion of the

Project. In case of any deficiency, the Long Term Transmission Customers would be at liberty to take action in accordance with the procedure of this Agreement.

- 5.5.6 For any delay in commissioning any critical Element(s), as identified in Schedule 1 & Schedule 2 of this Agreement, beyond a period of 45 days shall lead to a sequestration of 10% of the Contract Performance Guarantee.

5.6 Site regulations and Construction Documents

The TSP shall abide by the Safety Rules and Procedures as mentioned in Schedule 3 of this Agreement

The TSP shall retain at the Site and make available for inspection at all reasonable times, copies of the Consents, Clearances and Permits, construction drawings and other documents related to construction.

5.7 Supervision of work:

The TSP shall provide all necessary superintendence for execution of the Project and its supervisory personnel shall be available to provide full-time superintendence for execution of the Project. The TSP shall provide skilled personnel who are experienced in their respective fields.

5.8 Remedial Measures:

The TSP shall take all necessary actions for remedying the shortfall in achievement of timely progress in execution of the Project, if any, as intimated by the Independent Engineer and/ or STU and/ or the Long Term Transmission Customer. However, such intimation by the Independent Engineer and/ or STU and/ or the Long Term Transmission Customer and the subsequent effect of such remedial measures carried out by the TSP shall not relieve the TSP of its obligations in the Agreement. Independent Engineer and/ or STU and/ or the Long Term Transmission Customers may carry out random inspections during the Project execution, as and when deemed necessary by it. If the shortfalls as intimated to the TSP are not remedied to the satisfaction of the STU and/ or the Long Term Transmission Customers, this Agreement may be terminated by the Long Term Transmission Customers by giving a Termination Notice to the TSP, in writing, of at least seven (7) days, with a copy to STU and the Lenders'

Representative in order to enable the Lenders to exercise right of substitution in accordance with Article 15.3 of this Agreement .

ARTICLE: 6

6 CONNECTION AND COMMISSIONING OF THE PROJECT

6.1 Connection with the Inter-Connection Facilities:

6.1.1 The TSP shall give the RLDC(s), CTU, / STU, as the case may be, and any other agencies as required, at least sixty (60) days advance written notice of the date on which it intends to connect an Element of the Project, which date shall not be earlier than its Scheduled COD or Schedule COD extended as per Article 4.4.1 & 4.4.2 of this Agreement, unless mutually agreed to by Parties. Further, any preponing of COD of any element prior to Scheduled COD must be approved by the Long Term Transmission Customers.

6.1.2 The RLDC / SLDC (as the case may be) or the CTU / STU (as the case may be), for reasonable cause, including non-availability of Interconnection Facilities as per Article 4.2, can defer the connection for up to fifteen (15) days from the date notified by the TSP pursuant to Article 6.1.1, if it notifies to the TSP in writing, before the date of connection, of the reason for the deferral and when the connection is to be rescheduled. However, no such deferment on one or more occasions would be for more than an aggregate period of thirty (30) days. Further, the Scheduled COD would be extended as required, for all such deferments on “day to day” basis.

6.1.3 Subject to Articles 6.1.1 and 6.1.2, any Element of Project may be connected with the Interconnection Facilities when:

- a. it has been completed in accordance with this Agreement and the Connection Agreement;
- b. it meets the Grid Code, Central Electricity Authority (Technical Standards for Connectivity to the Grid) Regulations, 2007 as amended from time to time and all other Indian legal requirements, and
- c. The TSP has obtained the approval in writing of the Electrical Inspector certifying that the Element is ready from the point of view of safety of supply and can be connected with the Interconnection Facilities.

- d. It has satisfactorily met all the testing requirements as per Articles 6.1.4

6.1.4 Site Acceptance Test (SAT)/ pre-commissioning tests of all major substation equipment, component, system, facilities shall be successfully carried out before commissioning. The Type tests, FAT and SAT reports should be available at the substation / terminal station of HVDC installations for ready reference of operation and maintenance staff and has to be made available to the Independent Engineer appointed for quality monitoring or their authorised representatives, as and when they wish to examine the same.

6.2 Commercial Operation:

6.2.1 An Element of the Project shall be declared to have achieved COD twenty four (24) hours following the connection of the Element with the Interconnection Facilities pursuant to Article 6.1 or seven (7) days after the date on which it is declared by the TSP to be ready for charging but is not able to be charged for reasons not attributable to the TSP subject to Article 6.1.2.

Provided that an Element shall be declared to have achieved COD only after all the Element(s), if any, which are pre-required to have achieved COD as defined in Schedule 2 of this Agreement, have been declared to have achieved their respective COD.

6.2.2 Once any Element of the Project has been declared to have achieved deemed COD as per Article 6.2.1 above, such Element of the Project shall be deemed to have Availability equal to the Target Availability till the actual charging of the Element and to this extent, TSP shall be eligible for the Monthly Transmission Charges applicable for such Element

6.3 Compensation for Direct Non Natural Force Majeure Event or Indirect Non Natural Force Majeure Event or Natural Force Majeure Event (affecting the Long Term Transmission Customers)

6.3.1 If the TSP is otherwise ready to connect the Element(s) of the Project and has given due notice, as per provisions of Article 6.1.1, to the concerned agencies of the date of intention to connect the Element(s) of the Project, where such date is not before the Scheduled COD, but is not able to connect the Element(s) of the Project by the said date specified in the notice, due to Direct Non

Natural Force Majeure Event or Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s) , provided such Direct Non Natural Force Majeure Event or Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s) has continued for a period of more than three (3) continuous or non-continuous Months, the TSP shall, until the effects of the Direct Non Natural Force Majeure Event or of Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s) no longer prevent the TSP from connecting the Element(s) of the Project, be deemed to have achieved COD relevant to that date and to this extent, be deemed to have been providing Transmission Service with effect from the date notified, and shall be treated as follows:

- a. In case of delay due to Direct Non Natural Force Majeure Event, TSP is entitled for Transmission Charges calculated on Target Availability for the period of such events in excess of three (3) continuous or non continuous Months in the manner provided in (c) below.
- b. In case of delay due to Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s), TSP is entitled for payment for debt service which is due under the Financing Agreements, subject to a maximum of Transmission Charges calculated on Target Availability, for the period of such events in excess of three (3) continuous or non continuous Months in the manner provided in (c) below.
- c. In case of delay due to Direct Non Natural Force Majeure Event or Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s), the TSP is entitled for payments mentioned in (a) and (b) above, after commencement of Transmission Service, in the form of an increase in Transmission Charges. These amounts shall be paid from the date, being the later of a) the date of cessation of such Indirect Non Natural Force Majeure Event or Natural Force Majeure Event affecting the Long Term Transmission Customer(s) and b) the completion of sixty (60) days from the receipt of the Financing Agreements by the Long Term Transmission Customer(s) from the TSP.

Provided such increase in Transmission Charges shall be so as to put the TSP in the same economic position as the TSP would have been in case the TSP had been paid amounts mentioned in (a) and (b) above in a situation where the Force Majeure Event had not occurred.

For the avoidance of doubt, it is clarified that the charges payable under this Article 6.3.1 shall be paid by the Long Term Transmission Customer(s) in proportion to their then Allocated Project Capacity.

6.4 Liquidated Damages for Delay in achieving COD of Project:

6.4.1 If the TSP fails to achieve COD of any Element of the Project or the Project, by the Element's / Project's Scheduled COD or such Scheduled COD as extended under Articles 4.4.1 and 4.4.3, then the TSP shall pay to the Long Term Transmission Customer(s), a sum equivalent to 3.33% of Monthly Transmission Charges applicable for the Element of the Project [in case where no Elements have been defined, to be on the Project as a whole] / Project, for each day of delay up to sixty (60) days of delay and beyond that time limit, at the rate of five percent (5%) of the Monthly Transmission Charges applicable to such Element / Project, as liquidated damages for such delay and not as penalty, without prejudice to any rights of the Long Term Transmission Customer(s) under the Agreement.

6.4.2 The TSP's maximum liability under this Article 6.4 shall be limited to the amount of liquidated damages calculated in accordance with Article 6.4.1 for and up to six (6) months of delay for the Element or the Project.

Provided that, in case of failure of the TSP to achieve COD of the Element of the Project even after the expiry of six (6) months from its Scheduled COD, the provisions of Article 13 shall apply.

6.4.3 The TSP shall make payment to the Long Term Transmission Customer(s) of the liquidated damages calculated pursuant to Article 6.4.1 within ten (10) days of the earlier of:

- a. the date on which the applicable Element achieves COD; or
- b. the date of termination of this Agreement.

The payment of such damages shall not relieve the TSP from its obligations to

complete the Project or from any other obligation and liabilities under the Agreement.

6.4.4 If the TSP fails to pay the amount of liquidated damages to the Long Term Transmission Customer(s) within the said period of ten (10) days, the Long Term Transmission Customer(s) shall be entitled to recover the said amount of the liquidated damages by invoking the Contract Performance Guarantee. If the then existing Contract Performance Guarantee is for an amount which is less than the amount of the liquidated damages payable by the TSP to the Long Term Transmission Customer(s) under this Article 6.3 and the TSP fails to make payment of the balance amount of the liquidated damages not covered by the Contract Performance Guarantee, then such balance amount shall be deducted from the Transmission Charges payable to the TSP. The right of the Long Term Transmission Customer(s) to encash the Contract Performance Guarantee is without prejudice to the other rights of the Long Term Transmission Customer(s) under this Agreement.

6.4.5 For avoidance of doubt, it is clarified that amount payable by TSP under this Article is over and above the penalty payable by TSP under Article 5.5.6 of this Agreement.

6.5 Return of Contract Performance Guarantee

6.5.1 The Contract Performance Guarantee as submitted by TSP in accordance with Article 3.1.1 shall be released by the Long Term Transmission Customers within three (3) months from the COD of the Project. In the event of delay in achieving Scheduled COD of any of the Elements by the TSP (otherwise than due to reasons as mentioned in Article 3.1.3 or Article 11) and consequent part invocation of the Contract Performance Guarantee by the Long Term Transmission Customers, Long Term Transmission Customers shall release the Contract Performance Guarantee, if any remaining unadjusted, after the satisfactory completion by the TSP of all the requirements regarding achieving the Scheduled COD of the remaining Elements of the Project. It is clarified that the Long Term Transmission Customers shall also return / release the Contract Performance Guarantee in the event of (i) applicability of Article 3.3.2 to the extent the Contract Performance Guarantee is valid for an amount in excess of **Rs. 5.62 Crore (Rupees Five Crore Sixty Two Lakh only)**, or (ii) termination

of this Agreement by the Long Term Transmission Customers as mentioned under Article 3.3.4 of this Agreement.

- 6.5.2** The release of the Contract Performance Guarantee shall be without prejudice to other rights of the Long Term Transmission Customers under this Agreement.

ARTICLE: 7

7 OPERATION AND MAINTENANCE OF THE PROJECT

7.1 Operation and Maintenance of the Project:

The TSP shall be responsible for ensuring that the Project is operated and maintained in accordance with the regulations made by the state Commission and CEA from time to time and provisions of the Act.

ARTICLE: 8

8 AVAILABILITY OF THE PROJECT

8.1 Calculation of Availability of the Project:

Calculation of Availability for the Elements and for the Project, as the case may be, shall be as per Uttar Pradesh Electricity Regulatory Commission (Multi Year Tariff for Distribution and Transmission) Regulations 2019 as amended from time to time, as applicable on the Bid Deadline and as appended in Schedule 6 of this Agreement.

8.2 Target Availability:

The Target Availability of each Element and the Project shall be 98% [The target availability shall be indicated as 98% for AC system and 95% for HVDC system].

Payment of monthly Transmission charges based on actual availability will be calculated as per para 1.2 of Schedule 4 of this Agreement.

If the availability of any Element or the Project is below the Target Availability, for six consecutive months in a Contract Year, the DIC(s) or the Long Term Transmission Customers may issue a show cause notice to the TSP, asking them to show cause as to why the Transmission Service Agreement be not terminated, and if no satisfactory cause is shown it may terminate the Agreement. If the Long Term Transmission Customers is of the opinion that the transmission system is of critical importance, it may carry out or cause to carry the operation and maintenance of transmission system at the risk and cost of TSP.

ARTICLE: 9

9 INSURANCES

9.1 Insurance:

9.1.1 The TSP shall effect and maintain or cause to be effected and maintained during the Construction Period and the Operating Period, adequate Insurances against such risks, with such deductibles including but not limited to any third party liability and endorsements and co-beneficiary/insured, as may be necessary under

- a. any of the Financing Agreements,
- b. the Laws, and
- c. in accordance with Prudent Utility Practices.

The Insurances shall be taken effective from a date prior to the date of the Financial Closure till the Expiry Date.

9.2 Evidence of Insurance cover:

9.2.1 The TSP shall furnish to the Lead Long Term Transmission Customer copies of certificates and policies of the Insurances, as and when the Long Term Transmission Customers may seek from the TSP as per the terms of Article 9.1

9.3 Application of Insurance Proceeds:

9.3.1 Save as expressly provided in this Agreement, the policies of Insurances and the Financing Agreements, the proceeds of any insurance claim made due to loss or damage to the Project or any part of the Project shall be first applied to reinstatement, replacement or renewal of such loss or damage.

9.3.2 If a Natural Force Majeure Event renders the Project no longer economically and technically viable and the insurers under the Insurances make payment on a “total loss” or equivalent basis, the portion of the proceeds of such Insurance available to the TSP (after making admissible payments to the Lenders as per the Financing Agreements) shall be allocated only to the TSP. Long Term Transmission Customers shall have no claim on such proceeds of the

Insurance.

9.3.3 Subject to the requirements of the Lenders under the Financing Agreements, any dispute or difference between the Parties as to whether the Project is no longer economically and technically viable due to a Force Majeure Event or whether that event was adequately covered in accordance with this Agreement by the Insurances shall be determined in accordance with Article 16.

9.4 Effect on liability of the Long Term Transmission Customers

9.4.1 The Long Term Transmission Customers shall have no financial obligations or liability whatsoever towards the TSP in respect of this Article 9.

ARTICLE: 10

10 BILLING AND PAYMENT OF TRANSMISSION CHARGES

10.1 Subject to provisions of this Article 10, the Monthly Transmission Charges shall be paid to the TSP, in Indian Rupees, on monthly basis as per the provisions of this agreement, from the date on which an Element(s) has achieved COD until the Expiry Date of this Agreement, unless terminated earlier and in line with the provisions of Schedule 4 of this Agreement.

10.1.1 Delivery of Invoices:

10.1.1.1 TSP's Invoices:

- a. Commencing with the month following the month in which the COD of an Element (which is first Commissioned) occurs, the TSP shall submit to Long Term Transmission Customer by the fifth day of such and each succeeding month (or, if such day is not a Business Day, the immediately following Business Day) an Invoice in the Agreed Form (the "Monthly Transmission Charge Invoice") signed by the authorised signatory of the TSP setting out the computation of the Monthly Transmission Charges to be paid by the Long Term Transmission Customer to the TSP in respect of the immediately preceding month in accordance with this Agreement; and
- b. Each Monthly Transmission Charge Invoice shall include detailed calculations of the amounts payable under it, together with such further supporting documentation and information as Long Term Transmission Customer may reasonably require / request, from time to time.

10.1.1.2 Long Term Transmission Customer Invoices:

- a. Long Term Transmission Customer shall (as and when any amount becomes due to be paid by TSP), on the fifth day of the month (or, if such day is not a Business Day, the immediately following Business Day) submit to the TSP an Invoice in the Agreed Form (the "Long Term Transmission Customer Invoice") setting out the computation of any amount that may be payable to it by the TSP for the immediately preceding month pursuant to this Agreement.
- b. Each Long Term Transmission Customer's Invoice shall include detailed calculations of the amounts payable under it, together with such further supporting documentation as the TSP may reasonably require/request, from time to time.

10.1.2 Payment of Invoices:

10.1.2.1 Any amount payable under an Invoice shall be paid in immediately available and freely transferable clear funds, for value on or before the Due Date, to such account of the TSP or Long Term Transmission Customer as shall have been previously notified to Long Term Transmission Customer or the TSP, as the case may be.

10.1.2.2 Where in respect of any month there is both:

- a. an amount payable by the Long Term Transmission Customer to TSP pursuant to a Monthly Transmission Charge Invoice and
- b. an amount payable by the TSP to Long Term Transmission Customer pursuant to a Long Term Transmission Customer's Invoice as per provisions of this Agreement,

the two amounts, to the extent agreed to be set off by the TSP may, be set off against each other and the balance, if any, shall be paid by Long Term Transmission Customer to the TSP or by TSP to Long Term Transmission Customer, as the case may be.

10.1.2.3 The Long Term Transmission Customer shall pay the amount payable under the Monthly Transmission Charge Invoice and the Supplementary Bill on the Due Date to such account of the TSP, as shall have been previously notified by the TSP to the Long Term Transmission Customer in accordance with Article 10.1.2.6 below.

10.1.2.4 All payments made by the Long Term Transmission Customer shall be appropriated by the TSP in the following order of priority:

- i. towards Late Payment Surcharge, payable to the TSP, if any;
- ii. towards earlier unpaid Monthly Transmission Charge Invoice, if any;
- iii. towards earlier unpaid Supplementary Bill, if any;
- iv. towards the then current Monthly Transmission Charge Invoice, if any; and
- v. towards the then current Supplementary Bill.

10.1.2.5 All payments required to be made under this Agreement shall only include any deduction or set off for:

- i. deductions required by the Law; and
- ii. amounts claimed by the Long Term Transmission Customer from the TSP, through an Invoice duly acknowledged by the TSP, to be payable by the TSP,

and not disputed by the TSP within thirty (30) days of receipt of the said Invoice and such deduction or set-off shall be made to the extent of the amounts not disputed. It is clarified that the Long Term Transmission Customer shall be entitled to claim any set off or deduction under this Article, after expiry of the said thirty (30) day period.

Provided further, the maximum amounts that can be deducted or set-off by all the Long Term Transmission Customer taken together under this Article in a Contract Year shall not exceed Rupees 9.63 Crores (Rupees Nine Crore Sixty Three lakh Only), except on account of payments under sub Article (i) above.

10.1.2.6 The TSP shall open a bank account at [Insert identified place or account] (the "Designated Account") for all payments to be made by the Long Term Transmission Customer to the TSP, and notify the Long Term Transmission Customer of the details of such account at least ninety (90) days before the Scheduled COD of the first Element to the Long Term Transmission Customer. The Long Term Transmission Customer shall, on the day of payment, notify the TSP of the payment made to the Designated Account. The Long Term Transmission Customer shall also designate a bank account at [Insert identified place] for payments to be made by the TSP to Long Term Transmission Customer and notify the TSP of the details of such account ninety (90) days before the Scheduled COD of the first Element.

10.2 Calculation of Monthly Transmission Charges:

The Monthly Transmission Charges for each Contract Year including Incentive & Penalty payment shall be calculated in accordance with the provisions of Schedule 4 of this Agreement.

10.3 Rebate & Late Payment Surcharge:

10.3.1 Rebate: In case the Long Term Transmission Customer pays to the TSP through any mode of payment in respect of a Monthly Transmission Charge Invoice or Supplementary Bill, the following shall apply:

- a. For payment of Invoices through any mode of payment, a Rebate of 2% shall be allowed on the Monthly Transmission Charge Invoice or Supplementary Bill for payments made in full within two Business Day of the receipt of the Invoice; or
- b. For payment of Invoices subsequently, but within the Due Date, a Rebate of 1% shall be allowed on the payments made in full.

c. Applicable rate of Rebate at (a) and (b) above shall be based on the date on which the payment has been actually credited to the TSP's account. Any delay in transfer of money to the TSP's account, on account of a statutory holiday, public holiday, or any other reasons shall be to the account of the Long Term Transmission Customer provided that the Invoice is not submitted on the day immediately preceding a statutory holiday or public holiday.

d. No Rebate shall be payable on the bills raised on account of Change in Law relating to taxes, duties and cess;

Provided that if any Long Term Transmission Customer fails to pay a Monthly Transmission Charge Invoice/ Supplementary Bill or part thereof within and including the Due Date, the TSP shall recover such amount as per provisions of Article 10.4.3.1 (f).

10.3.2 Late Payment Surcharge: Any amount due from one Party to the other, pursuant to this Agreement and remaining unpaid for thirty (30) days after the Due Date, shall bear Late Payment Surcharge @ 1.25% per month on the unpaid amount. Such Late Payment Surcharge shall be calculated on simple rate basis and shall accrue from the Due Date until the amount due is actually received by the payee.

10.4 Disputed Bills, Default in payment by the Long Term Transmission Customers & Annual Reconciliation:

10.4.1 Disputed Invoices:

10.4.1.1 If either Party does not question or dispute an Invoice within thirty (30) days of receiving it, the Invoice shall be considered correct, complete and conclusive between the Parties.

10.4.1.2 If either Party disputes any item or part of an item set out in any Invoice then that Party shall serve a notice (an "Invoice Dispute Notice") on the other Party setting out (i) the item or part of an item which is in dispute, (ii) its estimate of what such item or part of an item should be, (iii) and with all written material in support of its claim.

10.4.1.3 If the invoicing Party agrees to the claim raised in the Invoice Dispute Notice issued pursuant to Article 10.4.1.2, the invoicing Party shall revise such Invoice within seven (7) days of receiving such notice from the disputing Party and if the disputing Party has already made the excess payment, the invoicing Party shall refund to the disputing Party, such

excess amount within fifteen (15) days of receiving such notice. In such a case, the excess amount shall be refunded along with interest at the same rate as the Late Payment Surcharge, which shall be applied from the date on which such excess payment was made to the invoicing Party and up to and including the date on which such payment has been received as refund.

10.4.1.4 If the invoicing Party does not agree to the claim raised in the Invoice Dispute Notice issued pursuant to Article 10.4.1.2, it shall, within fifteen (15) days of receiving the Invoice Dispute Notice, furnish a notice to the disputing Party providing (i) reasons for its disagreement; (ii) its estimate of what the correct amount should be; and (iii) all written material in support of its counter-claim.

10.4.1.5 Upon receipt of notice of disagreement to the Invoice Dispute Notice under Article 10.4.1.4, authorised representative(s) or a director of the board of directors/member of board of each Party shall meet and make best endeavours to amicably resolve such Dispute within fifteen (15) days of receiving such notice of disagreement to the Invoice Dispute Notice.

10.4.1.6 If the Parties do not amicably resolve the dispute within fifteen (15) days of receipt of notice of disagreement to the Invoice Dispute Notice pursuant to Article 10.4.1.4, the matter shall be referred to appropriate Commission for Dispute resolution in accordance with Article 16.

10.4.1.7 If a Dispute regarding a Monthly Transmission Charge Invoice or a Supplementary Invoice is settled by Dispute resolution mechanism provided in this Agreement in favour of the Party that issues the Invoice Dispute Notice, the other Party shall refund the amount, if any incorrectly charged and collected from the disputing Party or pay as required, within five (5) days of the Dispute either being amicably resolved by the Parties pursuant to Article 10.4.1.5 or settled by Dispute resolution mechanism, along with interest (at the same rate as Late Payment Surcharge) or Late Payment Surcharge from the date on which such payment had been made to the invoicing Party or the date on which such payment was originally due, as may be applicable.

10.4.1.8 For the avoidance of doubt, it is clarified that despite a Dispute regarding an Invoice, the concerned Long Term Transmission Customer's shall,

without prejudice to its right to Dispute, be under an obligation to make payment, of the lower of (a) an amount equal to simple average of last three (3) months Invoices (being the undisputed portion of such three months Invoices) and (b) Monthly Invoice which is being disputed, provided such Monthly Invoice has been raised based on the Regional Energy Account the Allocated Project Capacity and in accordance with this Agreement.

10.4.2 Payment of Supplementary Bill:

10.4.2.1 Either Party may raise a bill on the other Party ("Supplementary Bill") for payment on account of:

- i. adjustments (if any) required by the Regional Energy Account ; or
- ii. quarterly or annual reconciliation as per Article 10.5 ; or
- iii. Change in Law as provided in Article 12,

and such Bill shall be paid by the other Party.

10.4.3 Payment Security Mechanism:

10.4.3.1 Establishment of Letter of Credit:

- (a) Not later than one (1) Month prior to the Scheduled COD of the first Element of the Project, each Long Term Transmission Customer shall, through a scheduled bank, open a Letter of Credit in favour of the TSP, to be made operative from a date prior to the Due Date of its first Monthly Transmission Charge Invoice under this Agreement and shall be renewed annually.
- (b) The draft of the proposed Letter of Credit shall be provided by each Long Term Transmission Customer to the TSP not later than the Financial Closure of the Project and shall be mutually agreed between the Parties.
- (c) The Letter of Credit shall have a term of twelve (12) Months and shall be for an amount:
 - i. for the first Contract Year or for each subsequent Contract Year, equal to one point one (1.1) times the estimated average Monthly Transmission Charges based on Target Availability of the Elements or Project with Scheduled COD in such Contract Year, as the case may be;
 - ii. Provided that, the TSP shall not make any drawl before the Due Date and shall not make more than one drawal in a month.

Provided further that if at any time, such Letter of Credit amount falls short of the amount specified in Article 10.4.3.1, otherwise than by

reason of drawal of such Letter of Credit by the TSP, the relevant Long Term Transmission Customer shall restore such shortfall within seven (7) days.

- (d) Long Term Transmission Customer shall cause the scheduled bank issuing the Letter of Credit to intimate the TSP, in writing regarding establishing of such Letter of Credit.
- (e) In case of drawal of the Letter of Credit by the TSP in accordance with the terms of this Article 10.4.3.1, the amount of the Letter of Credit shall be reinstated within seven (7) days from the date of such drawal.
- (f) If any Long Term Transmission Customer fails to pay a Monthly Transmission Charge Invoice / Supplementary Bill or part thereof within and including the Due Date, then, unless an Invoice Dispute Notice is received by the TSP as per the provisions of Article 10.4.1.2, the TSP may draw upon the Letter of Credit, and accordingly the bank shall pay without any reference or instructions from the Long Term Transmission Customer, an amount equal to such Monthly Transmission Charge Invoice/Supplementary Bill or part thereof plus Late Payment Surcharge, if applicable, in accordance with Article 10.3.2 above, by presenting to the scheduled bank issuing the Letter of Credit, the following documents:
 - i. a copy of the Monthly Transmission Charge Invoice/Supplementary Bill which has remained unpaid by such Long Term Transmission Customer;
 - ii. a certificate from the TSP to the effect that the Invoice at item (i) above, or specified part thereof, is in accordance with the Agreement and has remained unpaid beyond the Due Date; and
 - iii. calculations of applicable Late Payment Surcharge, if any. Provided that failure on the part of the TSP to present the documents for negotiation of the Letter of Credit shall not attract any Late Payment Surcharge on the Long Term Transmission Customer.
- (g) Each Long Term Transmission Customer shall ensure that the Letter of Credit shall be renewed not later than thirty (30) days prior to its expiry.
- (h) All costs relating to opening and maintenance of the Letter of Credit shall be borne by the Long Term Transmission Customer. However, the Letter of Credit negotiation charges shall be borne and paid by the TSP.
- (i) If a Long Term Transmission Customer fails to pay (with respect to a Monthly Bill or Supplementary Bill) an amount exceeding thirty percent (30%) of the most recent undisputed Monthly Bill, for a period of seven (7) days after the Due Date and the TSP is unable to recover the amount

outstanding to the TSP through the Letter of Credit, the TSP shall issue a notice to such Long Term Transmission Customer within seven (7) days from such period, with a copy to each of the other Long Term Transmission Customer, highlighting the nonpayment of such amount by such Long Term Transmission Customer;

(ii) If such Long Term Transmission Customer still fails to pay such amount within a period of thirty (30) days after the issue of notice by TSP as mentioned in (i) above, the TSP shall approach the RLDC / SLDC (as the case may be) requesting for the alteration of the schedule of dispatch of the lowest cost power of such Long Term Transmission Customer from the Central Generating Stations/ State Generating Stations (as the case may be), and the RLDC / SLDC shall continue to reschedule the lowest cost power till all the dues of the TSP are recovered;

- Provided that in this case, the quantum of electricity and the corresponding period in which it would be rescheduled for dispatch shall be corresponding to the amount of default. This electricity will then be dispatched to other utilities by the concerned RLDC/SLDC, as the case may be, during the peak hours, i.e., 7pm to 10 pm. The price of this electricity will be determined as per the UI rate;

- Provided further that the revenue from such diverted power would be used to pay the dues first of the generating company (which would include the capacity charges as well as the energy charges) and the remainder would be available for covering the default amount and the balance (if any), after recovering both the charges, would be paid to the defaulting Long Term Transmission Customer.

10.4.4 Payment Intimation

Long Term Transmission Customer shall remit all amounts due under an Invoice raised by the TSP to the TSP's account by the Due Date and notify the TSP of such remittance on the same day. Similarly, the TSP shall pay all amounts due under an Invoice raised by Long Term Transmission Customer by the Due Date to concerned Long Term Transmission Customer's account and notify such Long Term Transmission Customer of such payment on the same day.

10.5 Quarterly and Annual Reconciliation:

10.5.1 Parties acknowledge that all payments made against Monthly Bill(s) and Supplementary Bill(s) shall be subject to quarterly reconciliation at the

beginning of the following quarter of each Contract Year and annual reconciliation at the end of each Contract Year to take into account Regional Energy Account, adjustments in Transmission Charges payments, Rebates, Late Payment Surcharge, Incentive, Penalty, or any other reasonable circumstance as may be mutually agreed between the Parties.

10.5.2 The Parties, therefore, agree that as soon as all such data in respect of any quarter of a Contract Year or a full Contract Year, as the case may be, is available and has been finally verified and adjusted, the TSP and Long Term Transmission Customer's shall jointly sign such reconciliation statement. Within fifteen (15) days of signing of a reconciliation statement, the TSP or Long Term Transmission Customer's, as the case may be, shall raise a Supplementary Bill for the payments as may be due as a result of reconciliation for the relevant quarter/ Contract Year and shall make payment of such Supplementary Bill for the adjustments in Transmission Charges payments for the relevant quarter/ContractYear.

10.5.3 Interest / Late Payment Surcharge shall be payable in such a case from the date on which such payment had been made to the invoicing Party or the date on which any payment was originally due, as may be applicable. Any dispute with regard to the above reconciliation shall be dealt with in accordance with the provisions of Article 16.

ARTICLE: 11

11 FORCE MAJEURE

11.1 Definitions

11.1.1 The following terms shall have the meanings given hereunder.

11.2 Affected Party

11.2.1 An Affected Party means any Party whose performance has been affected by an event of Force Majeure.

11.2.2 Any event of Force Majeure shall be deemed to be an event of Force Majeure affecting the TSP only if the Force Majeure event affects and results in, late delivery of machinery and equipment for the Project or construction, completion, commissioning of the Project by Scheduled COD and/or operation thereafter;

11.3 Force Majeure

A 'Force Majeure' means any event or circumstance or combination of events and circumstances including those stated below that wholly or partly prevents or unavoidably delays an Affected Party in the performance of its obligations/ roles under this Agreement, but only if and to the extent that such events or circumstances are not within the reasonable control, directly or indirectly, of the Affected Party and could not have been avoided if the Affected Party had taken reasonable care or complied with Prudent Utility Practices:

(a) Natural Force Majeure Events:

- i. act of God, including, but not limited to drought, fire and explosion (to the extent originating from a source external to the Site), earthquake, volcanic eruption, landslide, flood, cyclone, typhoon, tornado, or exceptionally adverse weather conditions, which are in excess of the statistical measures for the last hundred (100) years; and
- ii. epidemic/ pandemic notified by Indian Governmental Instrumentality.

(b) Non-Natural Force Majeure Events :

i. Direct Non–Natural Force Majeure Events

- Nationalization or compulsory acquisition by any Indian Governmental Instrumentality of any material assets or rights of the Affected Party; or
- the unlawful, unreasonable or discriminatory revocation of, or refusal to renew, any Consents, Clearances and Permits required by the Affected Party to perform their obligations/ roles under the RFP Project Documents or any unlawful, unreasonable or discriminatory refusal to grant any other Consents, Clearances and Permits required for the development/ operation of the Project, provided that a Competent Court of Law declares the revocation or refusal to be unlawful, unreasonable and discriminatory and strikes the same down; or
- any other unlawful, unreasonable or discriminatory action on the part of an Indian Governmental Instrumentality which is directed against the Project, provided that a Competent Court of Law declares the action to be unlawful, unreasonable and discriminatory and strikes the same down.

ii. Indirect Non - Natural Force Majeure Events

- act of war (whether declared or undeclared), invasion, armed conflict or act of foreign enemy, blockade, embargo, revolution, riot, insurrection, terrorist or military action; or
- radio active contamination or ionising radiation originating from a source in India or resulting from any other Indirect Non Natural Force Majeure Event mentioned above, excluding circumstances where the source or cause of contamination or radiation is brought or has been brought into or near the Site by the Affected Party or those employed or engaged by the Affected Party; or
- industry-wide strikes and labour disturbances, having a nationwide impact in India.

11.4 Force Majeure Exclusions

11.4.1 Force Majeure shall not include (i) any event or circumstance which is within the reasonable control of the Parties and (ii) the following conditions, except to the extent that they are consequences of an event of Force Majeure:

- (a) Unavailability, late delivery, or changes in cost of the machinery, equipment, materials, spare parts etc. for the Project;
- (b) Delay in the performance of any Contractors or their agents;
- (c) Non-performance resulting from normal wear and tear typically experienced in transmission materials and equipment;
- (d) Strikes or labour disturbance at the facilities of the Affected Party;
- (e) Insufficiency of finances or funds or the Agreement becoming onerous to perform; and
- (f) Non-performance caused by, or connected with, the Affected Party's:
 - i. negligent or intentional acts, errors or omissions;
 - ii. failure to comply with an Indian Law; or
 - iii. breach of, or default under this Agreement or any Project Documents.
- (g) Any error or omission in the survey report provided by BPC during the bidding process.

11.5 Notification of Force Majeure Event

11.5.1 The Affected Party shall give notice to the other Party of any event of Force Majeure as soon as reasonably practicable, but not later than seven (7) days after the date on which such Party knew or should reasonably have known of the commencement of the event of Force Majeure. If an event of Force Majeure results in a breakdown of communications rendering it unreasonable to give notice within the applicable time limit specified herein, then the Party claiming Force Majeure shall give such notice as soon as reasonably practicable after reinstatement of communications, but not later than one (1) day after such reinstatement.

Provided that, such notice shall be a pre-condition to the Affected Party's entitlement to claim relief under this Agreement. Such notice shall include full particulars of the event of Force Majeure, its effects on the Party claiming relief and the remedial measures proposed. The Affected Party shall give the other Party regular reports on the progress of those remedial measures and such other information as the other Party may reasonably request about the Force Majeure.

- 11.5.2** The Affected Party shall give notice to the other Party of (i) the cessation of the relevant event of Force Majeure; and (ii) the cessation of the effects of such event of Force Majeure on the performance of its rights or obligations/ roles under this Agreement, as soon as practicable after becoming aware of each of these cessations.

11.6 Duty to perform and duty to mitigate

To the extent not prevented by a Force Majeure Event, the Affected Party shall continue to perform its obligations/ roles as provided in this Agreement. The Affected Party shall use its reasonable efforts to mitigate the effect of any event of Force Majeure as soon as practicable.

11.7 Available Relief for a Force Majeure Event

Subject to this Article 11,

- (a) no Party shall be in breach of its obligations/ roles pursuant to this Agreement to the extent that the performance of its obligations/ roles was prevented, hindered or delayed due to a Force Majeure Event;
- (b) each Party shall be entitled to claim relief for a Force Majeure Event affecting its performance in relation to its obligations/ roles under Articles 3.3.4, 4.4.2 and 6.3.1 of this Agreement.
- (c) For the avoidance of doubt, it is clarified that the computation of Availability of the Element(s) under outage due to Force Majeure Event, as per Article 11.3 affecting the TSP shall be as per Uttar Pradesh Electricity Regulatory Commission (Multi Year Tariff for Distribution and Transmission) Regulations, 2019, as on Bid Deadline. For the event(s) for which the Element(s) is/are deemed to be available as per Uttar Pradesh Electricity

Regulatory Commission (Multi Year Tariff for Distribution and Transmission) Regulations, 2019, as amended from time to time, then the Transmission Charges, as applicable to such Element(s), shall be payable as per Schedule 4, for the duration of such event(s).

- (d) For so long as the TSP is claiming relief due to any Force Majeure Event under this Agreement, the Lead Long Term Transmission Customer may, if it so desires, from time to time on one (1) day notice, inspect the Project and the TSP shall provide the Lead Long Term Transmission Customer's personnel with access to the Project to carry out such inspections.
- (e) For avoidance of doubt, the TSP acknowledges that for extension of Scheduled COD a period up to one hundred eighty (180) days due to Force Majeure event, no compensation on the grounds such as interest cost, incident expenditure, opportunity cost will be made to the TSP. However, if Scheduled COD is extended beyond a period of one hundred eighty (180) days due to Force Majeure event, the TSP will be allowed to recover the interest cost during construction corresponding to the period exceeding one hundred eighty (180) days by adjustment in the Transmission Charges in accordance with Schedule 9.

ARTICLE: 12

12 CHANGE IN LAW

12.1 Change in Law

12.1.1 Change in Law means the occurrence of any of the following after the Bid Deadline resulting into any additional recurring / non-recurring expenditure by the TSP or any savings of the TSP:

- the enactment, coming into effect, adoption, promulgation, amendment, modification or repeal (without re-enactment or consolidation) in India, of any Law, including rules and regulations framed pursuant to such Law, subject to the provisions under Article 12.1.2;
- a change in the interpretation or application of any Law by any Indian Governmental Instrumentality having the legal power to interpret or apply such Law, or any Competent Court of Law;
- the imposition of a requirement for obtaining any Consents, Clearances and Permits which was not required earlier;
- a change in the terms and conditions prescribed for obtaining any Consents, Clearances and Permits or the inclusion of any new terms or conditions for obtaining such Consents, Clearances and Permits;
- any change in the licensing regulations of the State Commission, under which the Transmission License for the Project was granted if made applicable by such State Commission to the TSP;
- change in wind zone; or
- any change in tax or introduction of any tax made applicable for providing Transmission Service by the TSP as per the terms of this Agreement.

12.1.2 Notwithstanding anything contained in this Agreement, Change in Law shall not cover any change:

- a) Taxes on corporate income; and

- b) Withholding tax on income or dividends distributed to the shareholders of the TSP.

12.2 Relief for Change in Law

12.2.1 During Construction Period, the impact of increase/decrease in the cost of the Project on the Transmission Charges shall be governed by the formula given in Schedule 9 of this Agreement.

12.2.2 During the Operation Period:

During the operation period, if as a result of Change in Law, the TSP suffers or is benefited from a change in costs or revenue, the aggregate financial effect of which exceeds 0.30% (zero point three percent) of the Annual Transmission Charges in aggregate for a Contract Year, the TSP may notify so to the Long Term Transmission Customers and propose amendments to this Agreement so as to place the TSP in the same financial position as it would have enjoyed had there been no such Change in Law resulting in change in costs or revenue as aforesaid.

12.2.3 For any claims made under Articles 12.2.1 and 12.2.2 above, the TSP shall provide to the Long Term Transmission Customers documentary proof of such increase / decrease in cost of the Project / revenue for establishing the impact of such Change in Law.

In cases where Change in Law results in decrease of cost and it comes to the notice of Long Term Transmission Customers that TSP has not informed Long Term Transmission Customers about such decrease in cost, Long Term Transmission Customers may initiate appropriate claim.

12.3 Notification of Change in Law:

- 12.3.1** If the TSP is affected by a Change in Law in accordance with Article 12.1 and wishes to claim relief for such Change in Law under this Article 12, it shall give notice to Lead Long Term Transmission Customer of such Change in Law as soon as reasonably practicable after becoming aware of the same.
- 12.3.2** The TSP shall also be obliged to serve a notice to the Lead Long Term Transmission Customer even when it is beneficially affected by a Change in Law.
- 12.3.3** Any notice served pursuant to Articles 12.3.1 and 12.3.2 shall provide, amongst other things, precise details of the Change in Law and its estimated impact on the TSP.

12.4 Payment on account of Change in Law

- 12.4.1** The payment for Change in Law shall be through a separate Bill. However, in case of any change in Monthly Transmission Charges by reason of Change in Law, as determined in accordance with this Agreement, the Bills to be raised by the Long Term Transmission Customers after such change in Transmission Charges shall appropriately reflect the changed Monthly Transmission Charges.

ARTICLE: 13

13 EVENTS OF DEFAULT AND TERMINATION

13.1 TSP's Event of Default

The occurrence and continuation of any of the following events shall constitute a TSP Event of Default, unless any such TSP Event of Default occurs as a result of any non-fulfilment of its obligations as prescribed under this Agreement by the Long Term Transmission Customers or a Force Majeure Event:

- a. After having taken up the construction of the Project, the abandonment by the TSP or the TSP's Contractors of the construction of the Project for a continuous period of two (2) months and such default is not rectified within thirty (30) days from the receipt of notice from the Lead Long Term Transmission Customer in this regard;
- b. The failure to commission any Element of the Project by the date falling six (6) months after its Scheduled COD unless extended by Long Term Transmission Customers as per provisions of this Agreement;
- c. If the TSP:
 - i. assigns, mortgages or charges or purports to assign, mortgage or charge any of its assets or rights related to the Project in contravention of the provisions of this Agreement; or
 - ii. transfers or novates any of its obligations pursuant to this Agreement, in a manner contrary to the provisions of this Agreement;

Except where such transfer is in pursuance of a Law and

- it does not affect the ability of the transferee to perform, and such transferee has the financial and technical capability to perform, its obligations under this Agreement;

- is to a transferee who assumes such obligations under the Project and this Agreement remains effective with respect to the transferee;

d. If:

- i. The TSP becomes voluntarily or involuntarily the subject of any bankruptcy or insolvency or winding up proceedings and such proceedings remain uncontested for a period of thirty (30) days; or
- ii. any winding up or bankruptcy or insolvency order is passed against the TSP; or
- iii. the TSP goes into liquidation or dissolution or a receiver or any similar officer is appointed over all or substantially all of its assets or official liquidator is appointed to manage its affairs, pursuant to Law,

Provided that a dissolution or liquidation of the TSP will not be a TSP's Event of Default, where such dissolution or liquidation of the TSP is for the purpose of a merger, consolidation or reorganization with the prior approval of the State Commission as per the provisions of Central Electricity Regulatory Commission (Procedure, terms and Conditions for grant of Transmission License and other related matters) Regulations, 2006 or as amended from time to time; or

- e. Failure on the part of the TSP to comply with the provisions of Article 19.2 of this Agreement; or
- f. the TSP repudiates this Agreement and does not rectify such breach even within a period of thirty (30) days from a notice from the Long Term Transmission Customers in this regard; or
- g. after Commercial Operation Date of the Project, the TSP fails to achieve monthly Target Availability of 98% [98% for AC system and 95% for HVDC system], for a period of six (6) consecutive months or within a non-consecutive period of six (6) months within any continuous aggregate period of eighteen(18) months except where

the Availability is affected by Force Majeure Events as per Article 11;
or

- h. any of the representations and warranties made by the TSP in Article 17 of this Agreement being found to be untrue or inaccurate. Further, in addition to the above, any of the undertakings submitted by the Selected Bidder at the time of submission of the Bid being found to be breached or inaccurate, including but not limited to undertakings from its Parent Company / Affiliates related to the minimum equity obligation; or
- i. the TSP fails to complete / fulfil all the activities / conditions within the specified period as per Article 3; or
- j. except for the reasons solely attributable to Long Term Transmission Customers , the TSP is in material breach of any of its obligations under this Agreement and such material breach is not rectified by the TSP within thirty (30) days of receipt of notice in this regard from the Lead Long Term Transmission Customer ; or
- k. the TSP fails to take the possession of the land required for location specific substations, switching stations or HVDC terminal or inverter stations and / or fails to pay the requisite price to the parties and / or any State Government authority from whom the land is acquired, within twelve (12) months from the Effective Date.

13.2 Termination Procedure for TSP Event of Default

- a. Upon the occurrence and continuance of any TSP's Event of Default under Article 13.1 the Long Term Transmission Customers may serve notice on the TSP, with a copy to the CEA and the Lenders' Representative, of their intention to terminate this Agreement (a " Long Term Transmission Customer's Preliminary Termination Notice"), which shall specify in reasonable detail, the circumstances giving rise to such Long Term Transmission Customer's Preliminary Termination Notice.
- b. Following the issue of a Long Term Transmission Customer's Preliminary Termination Notice, the Consultation Period shall apply and would be for the Parties to discuss as to what steps shall be taken with a view to

mitigate the consequences of the relevant Event of Default having regard to all the circumstances.

- c. During the Consultation Period, the Parties shall, save as otherwise provided in this Agreement, continue to perform their respective obligations/ roles under this Agreement, and the TSP shall not remove any material, equipment or any part of the Project, without prior consent of the Long Term Transmission Customers.

Following the expiry of the Consultation Period, unless the Parties shall have otherwise agreed to the contrary or the circumstances giving rise to Long Term Transmission Customer's Preliminary Termination Notice shall have ceased to exist or shall have been remedied, this Agreement may be terminated by the Long Term Transmission Customers by giving a Termination Notice to the TSP, in writing, of at least seven (7) days, with a copy to STU and the Lenders' Representative in order to enable the Lenders to exercise right of substitution in accordance with Article 15.3 of this Agreement.

Further, the Long Term Transmission Customers may also initiate proceedings to blacklist the TSP & its Affiliates from participation in any RFP issued by BPCs for a period of 5 years.

13.3 Procedure for Long Term Transmission Customers non-fulfilment of Role

- a. Upon the Long Term Transmission Customers not being able to fulfil its role under Article 4.2, the TSP may serve notice on the Long Term Transmission Customers, with a copy to STU and the Lenders' Representative (a "TSP's Preliminary Notice"), which notice shall specify in reasonable detail the circumstances giving rise to such non-fulfilment of role by the Long Term Transmission Customers.
- b. Following the issue of a TSP's Preliminary Notice, the Consultation Period shall apply.
- c. The Consultation Period would be for the Parties to discuss as to what steps shall be taken with a view to mitigate the consequences of the relevant non-fulfilment of role by the Long Term Transmission Customers including giving time extension to TSP, having regard to all the circumstances.

- d. During the Consultation Period, both Parties shall, save as otherwise provided in this Agreement, continue to perform their respective obligations/ roles under this Agreement.

13.4 Termination due to Force Majeure

13.4.1 In case the Parties could not reach an agreement pursuant to Articles 3.3.4 and 4.4.2 of this Agreement and the Force Majeure Event or its effects continue to be present, the Long Term Transmission Customers shall have the right to cause termination of the Agreement. In case of such termination, the Contract Performance Guarantee shall be returned to the TSP as per the provisions of Article 6.5.1.

13.4.2 In case of termination of this Agreement, the TSP shall provide to the Long Term Transmission Customers the full names and addresses of its Contractors as well as complete designs, design drawings, manufacturing drawings, material specifications and technical information, as required by the Long Term Transmission Customers within thirty (30) days of Termination Notice.

13.5 Termination or amendment due to non-requirement of any Element or Project during construction

13.5.1 In case any Element or Project, which is under construction, is no longer required due to any reason whatsoever, the Long Term Transmission Customers may issue a notice to this effect to the TSP.

13.5.2 Long Term Transmission Customers may also issue notice to the TSP seeking their response to the proposed termination/ amendment (as the case may be) of the Agreement. The Long Term Transmission Customers shall issue copy of such notice to Lenders. In the notice, Long Term Transmission Customers shall also include an assessment of the physical progress made by TSP in the Element/ Project (as the case may be) that is no longer required.

13.5.3 The TSP shall neither carry out further investment nor carry out any work on the Element/ Project (as the case may be) that is no longer required after delivery of the notice.

13.5.4 After taking into account the comments of the TSP, the Long Term Transmission Customers may terminate the Agreement or amend it if both Parties agree to the amendment.

13.6 Revocation of the Transmission License

13.6.1 The State Commission may, as per the provisions of the Electricity Act, 2003, revoke the Transmission License of the ISTS Licensee. Further, in such a case, the Agreement shall be deemed to have been terminated.

13.7 Termination Payment

13.7.1 If Agreement is terminated on account of Force Majeure Events, non-requirement of any Element or Project during Construction, Long Term Transmission Customer's non-fulfilment of Role & TSP's Event of Default, the TSP shall be entitled for Termination Payment equivalent to valuation of Project Assets. Upon payment, the Long Term Transmission Customer(s) shall take over the Project Assets.

ARTICLE: 14

14 LIABILITY AND INDEMNIFICATION

14.1 Indemnity

14.1.1 The TSP shall indemnify, defend and hold the Long Term Transmission Customers harmless against:

- (a) any and all third party claims, actions, suits or proceedings against the Long Term Transmission Customers for any loss of or damage to property of such third party, or death or injury to such third party, arising out of a breach by the TSP of any of its obligations under this Agreement, except to the extent that any such claim, action, suit or proceeding has arisen due to a negligent act or omission, breach of this Agreement or non-fulfilment of statutory duty on the part of Long Term Transmission Customers ; and
- (b) any and all losses, damages, costs and expenses including legal costs, fines, penalties and interest actually suffered or incurred by the Long Term Transmission Customers from third party claims arising by reason of:
 - i. a breach by the TSP of any of its obligations under this Agreement, (provided that this Article 14 shall not apply to such breaches by the TSP, for which specific remedies have been provided for under this Agreement) except to the extent that any such losses, damages, costs and expenses including legal costs, fines, penalties and interest (together to constitute “Indemnifiable Losses”) has arisen due to a negligent act or omission, breach of this Agreement or non-fulfilment of statutory duty on the part of the Long Term Transmission Customers or
 - ii. any of the representations and warranties of the TSP under this Agreement being found to be inaccurate or untrue.

14.1.2 The Long Term Transmission Customers shall, in accordance with the Regulations framed by UPERC in this regard, indemnify, defend and hold the

TSP harmless against:

- (a) any and all third party claims, actions, suits or proceedings against the TSP, for any loss of or damage to property of such third party, or death or injury to such third party, arising out of any material breach by the Long Term Transmission Customers of any of their roles under this Agreement, except to the extent that any such claim, action, suit or proceeding has arisen due to a negligent act or omission, breach of this Agreement or breach of statutory duty on the part of the TSP, its Contractors, servants or agents; and
- (b) any and all losses, damages, costs and expenses including legal costs, fines, penalties and interest ('Indemnifiable Losses') actually suffered or incurred by the TSP from third party claims arising by reason of:
 - i. any material breach by the Long Term Transmission Customers of any of its roles under this Agreement (provided that, this Article 14 shall not apply to such breaches by the Long Term Transmission Customers, for which specific remedies have been provided for under this Agreement), except to the extent that any such Indemnifiable Losses have arisen due to a negligent act or omission, breach of this Agreement or breach of statutory duty on the part of the TSP, its Contractors, servants or agents or
 - ii. any of the representations and warranties of the Long Term Transmission Customers under this Agreement being found to be inaccurate or untrue.

14.2 Patent Indemnity:

14.2.1

- (a) The TSP shall, subject to the Long Term Transmission Customers compliance with Article 14.2.1 (b), indemnify and hold harmless the Long Term Transmission Customers and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of whatsoever nature, including attorney's fees and expenses, which the Long Term

Transmission Customers may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright or other intellectual property right registered or otherwise existing at the date of the Agreement by reason of the setting up of the Project by the TSP.

Such indemnity shall not cover any use of the Project or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Agreement, any infringement resulting from the misuse of the Project or any part thereof, or any products produced in association or combination with any other equipment, plant or materials not supplied by the TSP, pursuant to the Agreement.

- (b) If any proceedings are brought or any claim is made against the Long Term Transmission Customers arising out of the matters referred to in Article 14.2.1(a), the Lead Long Term Transmission Customer shall promptly give the TSP a notice thereof, and the TSP shall at its own expense take necessary steps and attend such proceedings or claim and any negotiations for the settlement of any such proceedings or claim. The TSP shall promptly notify the Long Term Transmission Customers of all actions taken in such proceedings or claims.
- (c) If the TSP fails to notify the Lead Long Term Transmission Customer within twenty-eight (28) days after receipt of such notice from the Long Term Transmission Customers under Article 14.2.1(b) above, that it intends to attend any such proceedings or claim, then the Long Term Transmission Customers shall be free to attend the same on their own behalf at the cost of the TSP. Unless the TSP has so failed to notify the Lead Long Term Transmission Customer within the twenty eight (28) days period, the Long Term Transmission Customers shall make no admission that may be prejudicial to the defence of any such proceedings or claims.
- (d) The Lead Long Term Transmission Customer shall, at the TSP's request, afford all available assistance to the TSP in attending to such proceedings or claim, and shall be reimbursed by the TSP for all reasonable expenses incurred in so doing.

14.2.2

- (a) The Long Term Transmission Customers, in accordance with the Regulations framed by UPERC in this regard, subject to the TSP's compliance with Article 14.2.2(b) shall indemnify and hold harmless the TSP and its employees, officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs and expenses of whatsoever nature, including attorney's fees and expenses, which the TSP may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright or other intellectual property right registered or otherwise existing at the date of the Agreement by reason of the setting up of the Project by the TSP.
- (b) If any proceedings are brought or any claim is made against the TSP arising out of the matters referred to in Article 14.2.2 (a) the TSP shall promptly give the Lead Long Term Transmission Customer a notice thereof, and the Long Term Transmission Customers shall at its own expense take necessary steps and attend such proceedings or claim and any negotiations for the settlement of any such proceedings or claim. The Lead Long Term Transmission Customer shall promptly notify the TSP of all actions taken in such proceedings or claims.
- (c) If the Lead Long Term Transmission Customer fails to notify the TSP within twenty-eight (28) days after receipt of such notice from the TSP under Article 14.2.2(b) above, that it intends to attend any such proceedings or claim, then the TSP shall be free to attend the same on its own behalf at the cost of the Long Term Transmission Customers . Unless the Lead Long Term Transmission Customer has so failed to notify the TSP within the twenty (28) days period, the TSP shall make no admission that may be prejudicial to the defence of any such proceedings or claim.
- (d) The TSP shall, at the Long Term Transmission Customers request, afford all available assistance to the Long Term Transmission Customers in attending to such proceedings or claim, and shall be reimbursed by the Long Term Transmission Customers for all reasonable expenses incurred in so doing.

14.3 Monetary Limitation of liability

14.3.1 A Party ("Indemnifying Party") shall be liable to indemnify the other Party ("Indemnified Party") under this Article 14 for any indemnity claims made in a Contract Year only up to an amount of **Rs. 0.37 Crore (Rupees Thirty Seven Lakh Only)**.

14.4 Procedure for claiming indemnity

14.4.1 Where the Indemnified Party is entitled to indemnification from the Indemnifying Party pursuant to Articles 14.1 or 14.2 the Indemnified Party shall promptly notify the Indemnifying Party of such claim, proceeding, action or suit referred to in Articles 14.1 or 14.2 in respect of which it is entitled to be indemnified. Such notice shall be given as soon as reasonably practicable after the Indemnified Party becomes aware of such claim, proceeding, action or suit. The Indemnifying Party shall be liable to settle the indemnification claim within thirty (30) days of receipt of the above notice.

Provided however that, if:

- i. the Parties choose to contest, defend or litigate such claim, action, suit or proceedings in accordance with Article 14.4.3 below; and
- ii. the claim amount is not required to be paid/deposited to such third party pending the resolution of the Dispute,

the Indemnifying Party shall become liable to pay the claim amount to the Indemnified Party or to the third party, as the case may be, promptly following the resolution of the Dispute, if such Dispute is not settled in favour of the Indemnified Party.

14.4.2 The Indemnified Party may contest, defend and litigate a claim, action, suit or proceeding for which it is entitled to be indemnified under Articles 14.1 or 14.2 and the Indemnifying Party shall reimburse to the Indemnified Party all reasonable costs and expenses incurred by the Indemnified Party. However, such Indemnified Party shall not settle or compromise such claim, action, suit or proceedings without first getting the consent of the Indemnifying Party, which consent shall not be unreasonably withheld or delayed.

14.4.3 An Indemnifying Party may, at its own expense, assume control of the defence of any proceedings brought against the Indemnified Party if it acknowledges its

obligation to indemnify such Indemnified Party, gives such Indemnified Party prompt notice of its intention to assume control of the defence, and employs an independent legal counsel at its own cost that is reasonably satisfactory to the Indemnified Party.

14.5 Limitation on Liability

14.5.1 Except as expressly provided in this Agreement, neither the TSP nor the Long Term Transmission Customers nor their respective officers, directors, agents, employees or Affiliates (including, officers, directors, agents or employees of such Affiliates), shall be liable or responsible to the other Party or its Affiliates including its officers, directors, agents, employees, successors, insurers or permitted assigns for incidental, indirect or consequential, punitive or exemplary damages, connected with or resulting from performance or non-performance of this Agreement, or anything done in connection herewith, including claims in the nature of lost revenues, income or profits (other than payments expressly required and properly due under this Agreement), any increased expense of, reduction in or loss of transmission capacity or equipment used therefore, irrespective of whether such claims are based upon breach of warranty, tort (including negligence, whether of the Long Term Transmission Customers, the TSP or others), strict liability, contract, breach of statutory duty, operation of law or otherwise.

14.5.2 The Long Term Transmission Customers shall have no recourse against any officer, director or shareholder of the TSP or any Affiliate of the TSP or any of its officers, directors or shareholders for such claims excluded under this Article. The TSP shall also have no recourse against any officer, director or shareholder of the Long Term Transmission Customers, or any Affiliate of the Long Term Transmission Customers or any of its officers, directors or shareholders for such claims excluded under this Article.

14.6 Duty to Mitigate

The party entitled to the benefit of an indemnity under this Article 14 shall take all reasonable measures to mitigate any loss or damage which has occurred. If the Party fails to take such measures, the other Party's liabilities shall be correspondingly reduced.

ARTICLE: 15

15 ASSIGNMENTS AND CHARGES

15.1 Assignments:

- 15.1.1** This Agreement shall be binding upon, and inure to the benefit of the Parties and their respective successors and permitted assigns. This Agreement shall not be assigned by any Party, except as provided in Article 15.3.

15.2 Permitted Charges:

- 15.2.1** Neither Party shall create or permit to subsist any encumbrance over all or any of its rights and benefits under this Agreement.

- 15.2.2** However, the TSP may create any encumbrance over all or part of the receivables, or the Project Assets of the Project in favour of the Lenders or the Lenders' Representative on their behalf, as security for amounts payable under the Financing Agreements and any other amounts agreed by the Parties.

Provided that:

- i. the Lenders or the Lenders' Representative on their behalf shall have entered into the Financing Agreements and agreed in writing to the provisions of this Agreement; and
 - ii. any encumbrance granted by the TSP in accordance with this Article 15.2.2 shall contain provisions pursuant to which the Lenders or the Lender's Representative on their behalf agrees unconditionally with the TSP to release from such encumbrances upon payment by the TSP to the Lenders of all amounts due under the Financing Agreements.
- 15.2.3** Article 15.2.1 does not apply to:
- a. liens arising by operation of law (or by an agreement evidencing the same) in the ordinary course of the TSP developing and operating the Project;
 - b. pledges of goods, the related documents of title and / or other related documents, arising or created in the ordinary course of the TSP developing and operating the Project; or

- c. security arising out of retention of title provisions in relation to goods acquired in the ordinary course of the TSP developing and operating the Project.

15.3 Substitution Rights of the Lenders

15.3.1 The TSP would need to operate and maintain the Project under the provisions of this Agreement and cannot assign the Transmission License or transfer the Project or part thereof to any person by sale, lease, exchange or otherwise, without the prior approval of the Long Term Transmission Customers.

15.3.2 However, in the case of default by the TSP in debt repayments or in the case of default by the TSP as per Article 13 of this Agreement during the debt repayments, the State Commission may, on an application from the Lenders, assign the Transmission License to the nominee of the Lenders subject to the fulfilment of the qualification requirements and provisions of the Central Electricity Regulatory Commission (Procedure, terms and Conditions for grant of Transmission License and other related matters) Regulations, 2006 and as amended from time to time.

ARTICLE: 16

16 GOVERNING LAW AND DISPUTE RESOLUTION

16.1 Governing Law:

This Agreement shall be governed by and construed in accordance with the Laws of India. Any legal proceedings in respect of any matters, claims or disputes under this Agreement shall be under the jurisdiction of appropriate courts in Lucknow.

16.2 Amicable Settlement:

16.2.1 Either Party is entitled to raise any claim, dispute or difference of whatever nature arising under, out of or in connection with this Agreement, including its existence or validity or termination or whether during the execution of the Project or after its completion and whether prior to or after the abandonment of the Project or termination or breach of the Agreement by giving a written notice to the other Party, which shall contain:

- (i) a description of the Dispute;
- (ii) the grounds for such Dispute; and
- (iii) all written material in support of its claim.

16.2.2 The other Party shall, within thirty (30) days of issue of notice issued under Article 16.2.1, furnish:

- (i) counter-claim and defences, if any, regarding the Dispute; and
- (ii) all written material in support of its defences and counter-claim.

16.2.3 Within thirty (30) days of issue of notice by the Party pursuant to Article 16.2.1, if the other Party does not furnish any counter claim or defense under Article 16.2.2, or thirty (30) days from the date of furnishing counter claims or defence by the other Party, both the Parties to the Dispute shall meet to settle such Dispute amicably. If the Parties fail to resolve the Dispute amicably within thirty (30) days from the later of the dates mentioned in this Article 16.2.3, the Dispute shall be referred for dispute resolution in accordance with Article 16.3.

16.3 Dispute Resolution:

All Disputes shall be adjudicated by the State Commission.

16.4 Parties to Perform Obligations:

Notwithstanding the existence of any Dispute and difference referred to the State Commission as provided in Article 16.3 and save as the State Commission may otherwise direct by a final or interim order, the Parties hereto shall continue to perform their respective obligations/ roles (which are not in dispute) under this Agreement.

ARTICLE: 17

17 REPRESENTATION AND WARRANTIES

17.1 Representation and warranties of the Long Term Transmission Customer

17.1.1 The Long Term Transmission Customers hereby represents and warrants to and agrees with the TSP as follows and acknowledges and confirms that the TSP is relying on such representations and warranties in connection with the transactions described in this Agreement:

- a. It has all requisite powers and authority to execute and consummate this Agreement;
- b. This Agreement is enforceable against the Long Term Transmission Customers in accordance with its terms;
- c. The consummation of the transactions contemplated by this Agreement on the part of Long Term Transmission Customers will not violate any provision of nor constitute a default under, nor give rise to a power to cancel any charter, mortgage, deed of trust or lien, lease, agreement, license, permit, evidence of indebtedness, restriction, or other contract to which the Long Term Transmission Customers is a Party or to which the Long Term Transmission Customers is bound, which violation, default or power has not been waived;

17.2 Representation and Warranties of the TSP:

17.2.1 The TSP hereby represents and warrants to and agrees with the Long Term Transmission Customers as follows and acknowledges and confirms that the Long Term Transmission Customers is relying on such representations and warranties in connection with the transactions described in this Agreement:

- a. It has all requisite powers and has been duly authorized to execute and consummate this Agreement;
- b. This Agreement is enforceable against it, in accordance with its terms;
- c. The consummation of the transactions contemplated by this Agreement on the part of the TSP will not violate any provision of nor constitute a default under, nor give rise to a power to cancel any charter, mortgage, deed of trust or lien, lease, agreement, license, permit, evidence of indebtedness, restriction, or other

contract to which the TSP is a Party or to which the TSP is bound which violation, default or power has not been waived;

- d. The TSP is not insolvent and no insolvency proceedings have been instituted, nor threatened or pending by or against the TSP;
- e. There are no actions, suits, claims, proceedings or investigations pending or, to the best of the TSP's knowledge, threatened in writing against the TSP at law, in equity, or otherwise, and whether civil or criminal in nature, before or by, any court, commission, arbitrator or governmental agency or authority, and there are no outstanding judgments, decrees or orders of any such courts, commission, arbitrator or governmental agencies or authorities, which materially adversely affect its ability to execute the Project or to comply with its obligations under this Agreement.

17.2.2 The TSP makes all the representations and warranties above to be valid as on the Effective Date of this Agreement.

ARTICLE: 18

18 INDEPENDENT ENGINEER

18.1 Appointment of Independent Engineer

The Lead Long Term Transmission Customer shall appoint an agency/ company as Independent Engineer as per framework provided in the Guidelines for Encouraging Competition in Development of Transmission Projects for selection of Independent Engineer.

18.2 Roles and functions of Independent Engineer

The role and functions of the Independent Engineer shall include the following:

- a. Progress Monitoring as required under this Agreement;
- b. Ensuring Quality as required under this Agreement;
- c. determining, as required under the Agreement, the costs of any works or services and/or their reasonableness during construction phase;
- d. determining, as required under the Agreement, the period or any extension thereof, for performing any duty or obligation during construction phase;
- e. determining, as required under the Agreement, the valuation of the Project Assets.
- f. Assisting the Parties in resolution of Disputes and
- g. Undertaking all other duties and functions in accordance with the Agreement.

18.3 Remuneration of Independent Engineer

The fee and charges of the Independent Engineer shall be paid by the Lead Long Term Transmission Customer as per terms & conditions of appointment.

18.4 Termination of appointment

- 18.4.1 The Lead Long Term Transmission Customer may, in its discretion, terminate the appointment of the Independent Engineer at any time, but only after appointment of another Independent Engineer.

18.4.2 If the TSP has reason to believe that the Independent Engineer is not discharging its duties and functions in a fair, efficient and diligent manner, it may make a written representation to the Lead Long Term Transmission Customer and seek termination of the appointment of the Independent Engineer. Upon receipt of such representation, the Lead Long Term Transmission Customer shall hold a tripartite meeting with the TSP and Independent Engineer for an amicable resolution, and the decision of Lead Long Term Transmission Customer is final. In the event that the appointment of the Independent Engineer is terminated hereunder, the Lead Long Term Transmission Customer shall appoint forthwith another Independent Engineer.

18.5 Authorised signatories

The Lead Long Term Transmission Customer shall require the Independent Engineer to designate and notify to the Lead Long Term Transmission Customer up to 2 (two) persons employed in its firm to sign for and on behalf of the Independent Engineer, and any communication or document required to be signed by the Independent Engineer shall be valid and effective only if signed by any of the designated persons; provided that the Independent Engineer may, by notice in writing, substitute any of the designated persons by any of its employees.

ARTICLE: 19

19 MISCELLANEOUS PROVISIONS

19.1 Lead Long Term Transmission Customers

19.1.1 The Long Term Transmission Customers hereby appoint and authorise “**Lead LTTC Name**” (hereinafter referred to as the “Lead Long Term Transmission Customer”) to represent all the Long Term Transmission Customers for discharging the rights and obligations of the Long Term Transmission Customers, which are required to be undertaken by all the Long Term Transmission Customers. All the Long Term Transmission Customers shall follow and be bound by the decisions of the Lead Long Term Transmission Customer on all matters specified in this Agreement. Accordingly each Long Term Transmission Customer agrees that any decision, communication, notice, action or inaction of the Lead Long Term Transmission Customer on such matters shall be deemed to have been on its/his behalf and shall be binding on each of the Long Term Transmission Customer. The TSP shall be entitled to rely upon any such action, decision or communication or notice from the Lead Long Term Transmission Customer. It is clarified that provisions under this Article 19.1 are not intended to and shall not render the Lead Long Term Transmission Customer liable to discharge Transmission Charges payments due to TSP from the other Long Term Transmission Customers.

19.1.2 The Long Term Transmission Customers hereby also appoint and authorise “**2nd Lead LTTC Name**” (hereinafter referred to as the “Alternate Lead Long Term Transmission Customer”), to act as Lead Long Term Transmission Customer as per the provisions of this Article 19.1.2, on the occurrence of any Event of Default specified in Article 13 by the Lead Long Term Transmission Customer. In such an event, the TSP may, at its option, within a period of fifteen (15) days from the date of issue of the TSP’s Preliminary Termination Notice referred to in Article 13 and if the said default by the Lead Long Term Transmission Customer subsists, specify in writing to all the Long Term Transmission Customers that the Alternate Lead Long Term Transmission Customer shall thereafter act as the Lead Long Term Transmission Customer. In such a case, if the TSP so notifies, the Alternate Lead Long Term Transmission Customer shall, thereafter, act as Lead Long Term Transmission Customer for the purposes of this Agreement, and the Lead Long Term Transmission Customer earlier appointed under Article 19.1.1 shall automatically cease to be the Lead Long Term Transmission Customer. It is clarified that all decisions taken by the “**Lead LTTC Name**” appointed under Article 19.1.1, in its capacity as Lead Long Term Transmission Customer before such change, shall continue to be valid, in accordance with this Agreement.

- 19.1.3** In the event of “**2nd Lead LTTC Name**” becoming the Lead Long Term Transmission Customer as per Article 19.1.2, all the Long Term Transmission Customers shall also appoint any of Long Term Transmission Customers, other than “**Lead LTTC Name**”, appointed under Article 19.1.1, as an Alternate Lead Long Term Transmission Customer and thereafter the provisions of Article 19.1.2 shall be applicable.
- 19.1.4** Notwithstanding anything contained above, any decision which is required to be taken by the Long Term Transmission Customers jointly under the provisions of Article 13, shall be taken by all the Long Term Transmission Customers and in case of difference amongst the Long Term Transmission Customers, the said decision shall be taken by the Majority Long Term Transmission Customers, as defined in Article 19.1.5 below.
- 19.1.5** Any decision taken by Long Term Transmission Customers, who taken together constitute sixty five percent (65%) of the Allocated Project Capacity and constitute in number at least fifty percent (50%) of the total number of Long Term Transmission Customers (hereinafter referred to as “Majority Long Term Transmission Customers”), shall be binding on the Lead Long Term Transmission Customer and all other Long Term Transmission Customers. Majority Long Term Transmission Customers shall also have the right to replace the Lead Long Term Transmission Customer by any other Long Term Transmission Customer of their choice. All decisions taken by the Majority Long Term Transmission Customers in this Agreement shall be conveyed by the Lead Long Term Transmission Customer.
- 19.2 Equity Lock-in Commitment:**
- 19.2.1** The aggregate equity share holding of the Selected Bidder in the issued and paid up equity share capital of **SPV [which is under incorporation]** shall not be less than Fifty one percent (51%) up to a period of one (1) year after COD of the Project.
- Provided that, in case the Lead Member or Bidding Company is holding equity through Affiliate/s, Ultimate Parent Company or Parent Company, such restriction as specified above shall apply to such entities.
- Provided further, that in case the Selected Bidder is a Bidding Consortium, the Lead Member shall continue to hold equity of at least twenty six percent (26%) upto a period of one (1) year after COD of the Project and any Member of such Bidding Consortium shall be allowed to divest its equity as long as the other remaining Members (which shall always include the Lead Member) hold the minimum equity specified above.
- 19.2.2** If equity is held by the Affiliates, Parent Company or Ultimate Parent Company of the Selected Bidder, then, subject to the second proviso to Article 19.2.1, such Affiliate,

Parent Company or Ultimate Parent Company shall be eligible to transfer its shareholding in **SPV [which is under incorporation]** to another Affiliate or to the Parent Company / Ultimate Parent Company of the Selected Bidder. If any such shareholding entity, qualifying as an Affiliate / Parent Company / Ultimate Parent Company, is likely to cease to meet the criteria to qualify as an Affiliate / Parent Company / Ultimate Parent Company, the shares held by such entity shall be transferred to another Affiliate / Parent Company / Ultimate Parent Company of the Selected Bidder.

19.2.3 Subject to Article 19.2.1, all transfer(s) of shareholding of **SPV [which is under incorporation]** by any of the entities referred to in Article 19.2.1 and 19.2.2 above, shall be after prior written intimation to the Long Term Transmission Customers .

19.2.4 For computation of effective Equity holding, the Equity holding of the Selected Bidder or its Ultimate Parent Company in such Affiliate(s) or Parent Company and the equity holding of such Affiliate(s) or Ultimate Parent Company in **SPV [which is under incorporation]** shall be computed in accordance with the example given below:

If the Parent Company or the Ultimate Parent Company of the Selected Bidder A directly holds thirty percent (30%) of the equity in **SPV [which is under incorporation]**, then holding of Selected Bidder A in **SPV [which is under incorporation]** shall be thirty percent (30%);

If Selected Bidder A holds thirty percent (30%) equity of the Affiliate and the Affiliate holds fifty percent (50%) equity in **SPV [which is under incorporation]**, then, for the purposes of ascertaining the minimum equity/equity lock-in requirements specified above, the effective holding of Bidder A in **SPV [which is under incorporation]** shall be fifteen percent (15%), (i.e., 30% x 50%)

19.2.5 The provisions as contained in this Article 19.2 shall override the terms of the consortium agreement submitted as part of the Bid.

19.2.6 The TSP shall be responsible to report to Long Term Transmission Customers, within thirty (30) days from the occurrence of any event that would result in any change in its equity holding structure from that which existed as on the date of signing of the Share Purchase Agreement. In such cases, the Lead Long Term Transmission Customer would reserve the right to ascertain the equity holding structure and to call for all such required documents / information / clarifications as may be required.

19.3 Commitment of maintaining Qualification Requirement

19.3.1 The Selected Bidder will be required to continue to maintain compliance with the Qualification Requirements, as stipulated in RFP Document, till the COD of the Project. Where the Technically Evaluated Entity and/or the Financially Evaluated Entity is not the Bidding Company or a Member in a Bidding Consortium, as the case may be, the Bidding Company or Member shall continue to be an Affiliate of the Technically Evaluated Entity and/or Financially Evaluated Entity till the COD of the Project.

19.3.2 Failure to comply with the aforesaid provisions shall be dealt in the same manner as TSP's Event of Default as under Article 13 of this Agreement.

19.4 Language:

19.4.1 All agreements, correspondence and communications between the Parties relating to this Agreement and all other documentation to be prepared and supplied under the Agreement shall be written in English, and the Agreement shall be construed and interpreted in accordance with English language.

19.4.2 If any of the agreements, correspondence, communications or documents are prepared in any language other than English, the English translation of such agreements, correspondence, communications or documents shall prevail in matters of interpretation.

19.5 Affirmation

The TSP and the Long Term Transmission Customers, each affirm that:

1. neither it nor its respective directors, employees, or agents has paid or undertaken to pay or shall in the future pay any unlawful commission, bribe, pay-off or kick-back; and
2. it has not in any other manner paid any sums, whether in Indian currency or foreign currency and whether in India or abroad to the other Party to procure this Agreement, and the TSP and the Long Term Transmission Customers hereby undertake not to engage in any similar acts during the Term of Agreement.

19.6 Severability

The invalidity or enforceability, for any reason, of any part of this Agreement shall not prejudice or affect the validity or enforceability of the remainder of this Agreement, unless the part held invalid or unenforceable is fundamental to this Agreement.

19.7 Counterparts

This Agreement may be executed in one or more counterparts, each of which shall be deemed an original and all of which collectively shall be deemed one and the same Agreement.

19.8 Breach of Obligations/ Roles

The Parties acknowledge that a breach of any of the obligations/ roles contained herein would result in injuries. The Parties further acknowledge that the amount of the liquidated damages or the method of calculating the liquidated damages specified in this Agreement is a genuine and reasonable pre-estimate of the damages that may be suffered by the non-defaulting Party in each case specified under this Agreement.

19.9 Restriction of Shareholders / Owners Liability

19.9.1 Parties expressly agree and acknowledge that none of the shareholders of the Parties hereto shall be liable to the other Parties for any of the contractual obligations of the concerned Party under this Agreement.

19.9.2 Further, the financial liabilities of the shareholder(s) of each Party to this Agreement shall be restricted to the extent provided in the Indian Companies Act, 1956 / Companies Act, 2013 (as the case may be).

19.10 Taxes and Duties:

19.10.1 The TSP shall bear and promptly pay all statutory taxes, duties, levies and cess, assessed/levied on the TSP, its Contractors or their employees that are required to be paid by the TSP as per the Law in relation to the execution of the Project and for providing Transmission Service as per the terms of this Agreement.

19.10.2 The Long Term Transmission Customers shall be indemnified and held harmless by the TSP against any claims that may be made against the Long Term Transmission Customers in relation to the matters set out in Article 19.10.1.

19.10.3 The Long Term Transmission Customers shall not be liable for any payment of, taxes, duties, levies, cess whatsoever for discharging any obligation of the TSP by the Long Term Transmission Customers on behalf of TSP or its personnel, provided the TSP has consented in writing to Long Term Transmission Customers for such work, for which consent shall not be unreasonably withheld.

19.11 No Consequential or Indirect Losses

The liability of the TSP shall be limited to that explicitly provided in this Agreement.

Provided that, notwithstanding anything contained in this Agreement, under no event shall the Long Term Transmission Customers or the TSP claim from one another any indirect or consequential losses or damages.

19.12 Discretion:

Except where this Agreement expressly requires a Party to act fairly or reasonably, a Party may exercise any discretion given to it under this Agreement in any way it deems fit.

19.13 Confidentiality

19.13.1 The Parties undertake to hold in confidence this Agreement and RFP Project Documents and not to disclose the terms and conditions of the transaction contemplated hereby to third parties, except:

- (a) to their professional advisors;
- (b) to their officers, contractors, employees, agents or representatives, financiers, who need to have access to such information for the proper performance of their activities; or
- (c) disclosures required under Law,

without the prior written consent of the other Parties.

Provided that, the TSP agrees and acknowledges that the Long Term Transmission Customers, may, at any time, disclose the terms and conditions of the Agreement and the RFP Project Documents to any person, to the extent stipulated under the Law and the Competitive Bidding Guidelines.

19.14 Order of priority in application:

Save as provided in Article 2.5, in case of inconsistencies between the terms and conditions stipulated in Transmission License issued by the Appropriate Commission to the TSP, agreement(s) executed between the Parties, applicable Law including rules and regulations framed thereunder, the order of priority as between them shall be the order in which they are placed below:

- terms and conditions of Transmission License;

- applicable Law, rules and regulations framed thereunder;
- this Agreement;

19.15 Independent Entity:

19.15.1 The TSP shall be an independent entity performing its obligations pursuant to the Agreement.

19.15.2 Subject to the provisions of the Agreement, the TSP shall be solely responsible for the manner in which its obligations under this Agreement are to be performed. All employees and representatives of the TSP or Contractors engaged by the TSP in connection with the performance of the Agreement shall be under the complete control of the TSP and shall not be deemed to be employees, representatives, Contractors of the Long Term Transmission Customers and nothing contained in the Agreement or in any agreement or contract awarded by the TSP shall be construed to create any contractual relationship between any such employees, representatives or Contractors and the Long Term Transmission Customers.

19.16 Amendments:

19.16.1 This Agreement may only be amended or supplemented by a written agreement between the Parties.

19.17 Waiver:

19.17.1 No waiver by either Party of any default or breach by the other Party in the performance of any of the provisions of this Agreement shall be effective unless in writing duly executed by an authorised representative of such Party.

19.17.2 Neither the failure by either Party to insist on any occasion upon the performance of the terms, conditions and provisions of this Agreement nor time or other indulgence granted by one Party to the other Parties shall act as a waiver of such breach or acceptance of any variation or the relinquishment of any such right or any other right under this Agreement, which shall remain in full force and effect.

19.18 Relationship of the Parties:

This Agreement shall not be interpreted or construed to create an association, joint venture, or partnership or agency or any such other relationship between the Parties or to impose any partnership obligation or liability upon either Party and neither Party shall

have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, the other Party.

19.19 Entirety:

19.19.1 This Agreement along with its sections, schedules and appendices is intended by the Parties as the final expression of their agreement and is intended also as a complete and exclusive statement of the terms of their agreement.

19.19.2 Except as provided in this Agreement, all prior written or oral understandings, offers or other communications of every kind pertaining to this Agreement or the provision of Transmission Service under this Agreement to the Long Term Transmission Customers by the TSP shall stand superseded and abrogated.

19.20 Notices:

19.20.1 All notices or other communications which are required to be given under this Agreement shall be in writing and in the English language

19.20.2 If to the TSP, all notices or communications must be delivered personally or by registered post or facsimile or any other mode duly acknowledged to the addressee below:

Address :

Attention :

Email :

Fax. No. :

Telephone No.:

19.20.3 If to the Long Term Transmission Customer(s), all notices or communications must be delivered personally or by registered post or facsimile or any other mode duly acknowledged to the addresses below:

(i) Paschimanchal Vidyut Vitran Nigam Ltd.

Address :

Attention

Email :

Fax. No. :

Telephone No.:

(ii) Madhyanchal Vidyut Vitran Nigam Ltd.

Address :

Attention

Email :

Fax. No. :

Telephone No.:

(iii) Purvanchal Vidyut Vitran Nigam Ltd.

Address :

Attention

Email :

Fax. No. :

Telephone No.:

(iv) Dakshinanchal Vidyut Vitran Nigam Ltd.

Address :

Attention

Email :

Fax. No. :

Telephone No.:

(v) Kanpur Electricity Supply Co. Ltd.

Address :

Attention

Email :

Fax. No. :

Telephone No.:

19.20.4 All notices or communications given by facsimile shall be confirmed by sending a copy of the same via post office in an envelope properly addressed to the appropriate Party for delivery by registered mail. All notices shall be deemed validly delivered upon receipt evidenced by an acknowledgement of the recipient, unless the Party delivering the notice can prove in case of delivery through the registered post that the recipient

refused to acknowledge the receipt of the notice despite efforts of the postal authorities.

- 19.20.5** Any Party may by notice of at least fifteen (15) days to the other Party change the address and/or addresses to which such notices and communications to it are to be delivered or mailed.

19.21 Fraudulent and Corrupt Practices

- 19.21.1** The TSP and its respective officers, employees, agents and advisers shall observe the highest standard of ethics during the subsistence of this Agreement. Notwithstanding anything to the contrary contained in the Agreement, the Long Term Transmission Customers may terminate the Agreement without being liable in any manner whatsoever to the TSP, if it determines that the TSP has, directly or indirectly or through an agent, engaged in corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice in the Bid process. In such an event, the Long Term Transmission Customers shall forfeit the Contract Performance Guarantee of the TSP, without prejudice to any other right or remedy that may be available to the hereunder or subsistence otherwise.

- 19.21.2** Without prejudice to the rights of the Long Term Transmission Customers under Clause 19.21.1 hereinabove and the rights and remedies which the Long Term Transmission Customers may have under this Agreement, if a TSP is found by the Long Term Transmission Customers to have directly or indirectly or through an agent, engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practice during the Bid process, or after the issue of Letter of Intent (hereinafter referred to as Lol) or after the execution of the TSA, the Long Term Transmission Customer(s) may terminate the Agreement without being liable in any manner whatsoever to the TSP. Further, the TSP & its Affiliates shall not be eligible to participate in any tender or RFP issued by any BPC for an indefinite period from the date such TSP is found by the Long Term Transmission Customer(s) to have directly or indirectly or through an agent, engaged or indulged in any corrupt practice, fraudulent practice, coercive practice, undesirable practice or restrictive practices, as the case may be.

- 19.21.3** For the purposes of this Clause 19.21, the following terms shall have the meaning hereinafter respectively assigned to them:

(a) **“corrupt practice”** means (i) the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the actions of any person connected with

the Bid process (for avoidance of doubt, offering of employment to or employing or engaging in any manner whatsoever, directly or indirectly, any official of the BPC who is or has been associated or dealt in any manner, directly or indirectly with the Bid process or the Lol or has dealt with matters concerning the RFP Project Documents or arising there from, before or after the execution thereof, at any time prior to the expiry of one year from the date such official resigns or retires from or otherwise ceases to be in the service of the BPC, shall be deemed to constitute influencing the actions of a person connected with the Bid Process); or (ii) engaging in any manner whatsoever, whether during the Bid Process or after the issue of the Lol or after the execution of the RFP Project Documents, as the case may be, any person in respect of any matter relating to the Project or the Lol or the RFP Project Documents, who at any time has been or is a legal, financial or technical adviser of the BPC in relation to any matter concerning the Project;

(b) **“fraudulent practice”** means a misrepresentation or omission of facts or suppression of facts or disclosure of incomplete facts, in order to influence the Bid process;

(c) **“coercive practice”** means impairing or harming, or threatening to impair or harm, directly or indirectly, any person or property to influence any person’s participation or action in the Bid process;

(d) **“undesirable practice”** means (i) establishing contact with any person connected with or employed or engaged by the BPC with the objective of canvassing, lobbying or in any manner influencing or attempting to influence the Bid process; or (ii) having a Conflict of Interest; and

(e) **“restrictive practice”** means forming a cartel or arriving at any understanding or arrangement among Bidders with the objective of restricting or manipulating a full and fair competition in the Bid process;

19.22 Compliance with Law:

Despite anything contained in this Agreement but without prejudice to Article 12, if any provision of this Agreement shall be in deviation or inconsistent with or repugnant to the provisions contained in the Electricity Act, 2003, or any rules and regulations made there under, such provision shall be deemed to be amended to the extent required to bring it into compliance with the aforesaid relevant provisions as amended from time to time.

IN WITNESS WHEREOF, THE PARTIES HAVE CAUSED THIS AGREEMENT TO BE EXECUTED BY THEIR DULY AUTHORISED REPRESENTATIVES AS OF THE DATE AND PLACE SET FORTH ABOVE.

Transmission Service Agreement

1. For and on behalf of TSP

.....

[Signature, Name, Designation and Address]

2. **For and on behalf of Paschimanchal Vidyut Vitran Nigam Ltd.**

.....

[Signature, Name, Designation and Address]

3. **For and on behalf of Madhyanchal Vidyut Vitran Nigam Ltd.**

.....

[Signature, Name, Designation and Address]

4. **For and on behalf of Purvanchal Vidyut Vitran Nigam Ltd.**

.....

[Signature, Name, Designation and Address]

5. **For and on behalf of Dakshinanchal Vidyut Vitran Nigam Ltd.**

.....

[Signature, Name, Designation and Address]

6. **For and on behalf of Kanpur Electricity Supply Co. Ltd.**

Transmission Service Agreement

.....

[Signature, Name, Designation and Address]

WITNESSES:

1. For and on behalf of

: BPC

.....

[Signature]

.....

[Insert, Name, Designation and Address of the Witness]

2. For and on behalf of

: STU

.....

[Signature]

.....

[Insert Name, Designation and Address of the Witness]

SCHEDULES

Schedule: 1**Project Description and Scope of Project****1. Brief description of Transmission line:****i. 220/132/33 KV Tirwa (2x160+2x63MVA) substation.**

At present, Kannauj district is being fed at 33kV voltage level from 220/132/33 kV Chhibramau, 132/33KV Substation, Kannauj and Talgram sub-stations. Generally 132 kV substation, Kannauj and Talgram is fed at 132 kV voltage level from 220 kV Substation Chhibramau and in contingency these are fed from 220 KV Neebkarori sub-station. At present both of the above 220 kV substations are overloaded. Due to excessive long 33 kV lines in Tirwa area of Kannauj the problem of low voltage and overloading persists especially in summer. Therefore to overcome the low voltage problem and to strengthen the transmission system, 220/132/33 KV Tirwa (2x160+2x63MVA) substation alongwith few lines associated to it are proposed for construction.

ii. LILO of Shamli-Aligarh line at THDC Khurja

In addition to above as per Power Purchase Agreement (PPA), 60% of the generated power of THDC Khurja STTP (2x 660 MW) has been allocated to the state of Uttar Pradesh. The power evacuation of Khurja TPS is to be done by constructing LILO of one circuit of Shamli-Aligarh line at THDC Khurja Power Plant.

2. Scope of the Project:

S. No.	Name of the Transmission Element	Scheduled COD from Effective Date
	Construction of 220/132/33kV Tirwa (Kannauj) Substation with associated lines	
1.	Construction of 220/132/33kV substation, Tirwa (Kannauj) (including following Bay at S/S):- 2x160 + 2x63 MVA	18 Months

Transmission Service Agreement

S. No.	Name of the Transmission Element	Scheduled COD from Effective Date
	(i) 220kV 160MVA ICT Bay- 02 Nos. (ii) 132kV 160MVA ICT Bay- 02 Nos. (iii) 132kV 63MVA ICT Bay- 02 Nos. (iv) 33kV 63 MVA ICT Bay- 02 Nos. (v) 220kV Bay : Feeder Bay- 02 Nos. Bus Coupler Bay- 01 Nos. Transfer Bus Bay- 01 Nos. (vi) 132kV Bay : Feeder Bay- 02 Nos. Bus Coupler Bay- 01 Nos. Transfer Bus Bay-0 1 Nos. (vii) 33kV Bay : Feeder Bay- 10 Nos. Transfer Bus Coupler Bay- 01 Nos.	
2.	LILO of 220kV Mainpuri (220) – Bhauti PG (400) S/C line at 220kV Tirwa S/s	
3.	LILO of 132kV Dibiyapur-Bidhuna S/C line at 220kV Tirwa S/s	
B.	Construction of LILO of one circuit of 400kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant	
1.	LILO of one circuit of 400 kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant*	7 Months

* 02 Nos. Bays of 400kV will be provided by THDC Khurja Power Plant

ANNEXURE C

Technical Specifications of Transmission System
SPECIFIC TECHNICAL REQUIREMENTS FOR TRANSMISSION LINES

- 1.0 The Tower shall be fully galvanized using mild steel or/ and high tensile steel sections. Bolts and nuts with spring washer are to be used for connection.
- 2.0 IS Steel section of tested quality in conformity with IS 2062:2011, grade E 250 (Designated Yield Strength 250 MPa) and/or grade E 350 (Designated Yield Strength 350 MPa) are to be used in towers, extensions, gantry structures and stub setting templates. However, use of steel grade having designated yield strength more than 350 MPa is not permitted. The steel used for fabrication of towers shall be manufactured by primary steel producers only.
- 3.0 Towers shall be designed as per IS-802:2015. However, drag coefficient of the tower shall be as follows:-

Sl No.	Solidity Ratio Φ	Force Coefficient, C_t		
		Flat Sided Members	Circular Sect	
			Sub-Critical	Super Critical
			Flow ($DV_d < 6 \text{ m}^2/\text{s}$)	Flow ($DV_d \geq 6 \text{ m}^2/\text{s}$)
(1)	(2)	(3)	(4)	(5)
i)	0.1	1.9	1.2	0.7
ii)	0.2	1.8	1.2	0.8
iii)	0.3	1.7	1.2	0.8
iv)	0.4	1.7	1.1	0.8
v)	0.5	1.6	1.1	0.8
vi)	0.75	1.6	1.5	1.4
vii)	1.00	2.0	2.0	2.0

As per Clause 12.1.2.1 b) 2) of IS 802:2015, Under security condition for tension and dead end towers, the transverse loads due to line deviation shall be the component of 100 percent mechanical tension of conductor and ground wire/OPGW corresponding to 100% of design wind pressure at everyday temperature or 36% design wind pressure at minimum temperature after accounting for drag coefficient and gust response factor.

Transmission Service Provided (TSP) may adopt any additional loading/ design criteria for ensuring reliability of the line, if so desired and/ or deemed necessary.

Transmission line shall be designed considering wind zones as specified in wind map given in National Building Code 2016, Vol. 1. The developer shall also make his own assessment of local wind conditions and frequent occurrences of high intensity winds (HIW) due to thunderstorms, dust-storms, downburst etc. along the line route and wherever required, higher wind zone than that given in wind map shall be considered for tower design for ensuring reliability of line.

Towers with more than two sub-conductors per phase up to 400 kV shall be designed for reliability for reliability level 2.

4.0

- A. For power line crossing of 400 kV or above voltage level, large angle & dead end towers (i.e. D/DD/QD) shall be used on either side of power line crossing (i.e. D/DD/QD- D/DD/QD arrangement).
- B. For power line crossing of 132 kV and 220 kV voltage level, angle towers (B/C/D/DB/DC/DD/QB/QC/QD) shall be used on either side of power line crossing depending upon the merit of the prevailing site condition and line deviation requirement.
- C. For power line crossing of 66 kV and below voltage level, suspension/tension towers shall be provided on either side of power line crossing depending upon the merit of the prevailing site condition and line deviation requirement.
- D. For crossing of railways, national highways and state highways, transmission line with large angle & dead end towers (i.e. D/DD/QD) shall be used on either side of crossing.

5.0 The conductor configuration shall be as follows:

5.1 For transmission lines with ACSR conductor

Transmission line	ACSR Conductor specified	Sub- Conductor Spacing
400kV D/C (Twin Moose) transmission lines	Moose: Stranding 54/3.53mm- Al + 7/3.53 mm-Steel, 597sq mm, Total Sectional Area, 31.77mm diameter	450mm
220kV transmission lines	Zebra: Stranding 54/3.18mm-Al + 7/3.18mm-Steel, Total Sectional Area 28.62mm diameter	NA
132kV transmission lines	Panther: Stranding 30/3.00mm-Al +7/3.00 mm-Steel, Total Sectional Area 21.00mm diameter	NA

Note: The transmission lines shall have to be designed for a maximum operating conductor temperature of 85 deg C for ACSR only.

- 6.0 The required phase to phase spacing and horizontal spacing for 400 kV D/C line shall be governed by the tower design as well as minimum live metal clearances for 400 kV voltage level respectively under different insulator swing angles.

For 400 kV transmission lines:

The minimum live metal clearances for 400 kV D/C transmission lines may be considered as follow:

- (i) Under stationary condition
From tower body:
For 400 kV D/C : 3.05 m
- (ii) Under swing conditions:

Wind pressure Condition	Minimum electrical clearance
a) Nil	3.05 m
b) Swing angle (22°)	3.05 m
c) Swing angle (44°)	1.86 m

The phase to phase spacing for 400 kV D/C line shall not be less than 8.0 m.

For 220 kV Transmission Lines:

The minimum live metal clearances for 220 kV D/C Line shall be considered as follows:

- (i) Under stationary conditions
From tower body: 2.13m
- (ii) Under swing conditions

Wind pressure Condition	Minimum electrical clearance
a) Swing angle (15)°	1.98 mtrs
b) Swing angle (30)°	1.83 mtrs
c) Swing angle (45)°	1.675 mtrs

However, the phase spacing for 220 kV D/C Line shall be not less than 5m.

For 132 kV Transmission Lines:

The minimum live metal clearances for 132 kV D/C transmission line shall be considered as follows:

- (i) Under stationary conditions
From tower body: 1.53m
- (ii) Under swing conditions

Wind pressure Condition	Minimum electrical clearance
a) Swing angle (15)°	1.53 mtrs
b) Swing angle (30)°	1.37 mtrs
c) Swing angle (45)°	1.22 mtrs
d) Swing angle (60)°	1.07 mtrs

However, the phase spacing for 132kV D/C Line shall be not less than 4m.

- 7.0 The minimum ground clearance for 400 kV D/C transmission lines shall be 8.84 m, for 220kV D/C line shall be 7.015m and for 132kV D/C line shall be 6.10m so that maximum electric field does not exceed 10kV/m within the ROW and does not exceed 5kV/m at the edge of the ROW as per international guidelines.
- 8.0 The minimum mid span separation between earth wire and conductor shall be 9.0 m for 400 kV D/C transmission lines, 8.5m for 220kV D/C transmission lines and 6.1m for 132kV D/C transmission lines. Shielding angle shall not exceed 20 deg for 400 kV D/C line D/C transmission lines & 30deg for 220kV D/C lines and 132 kV D/C lines.
- 9.0 Transposition is to be done for all transmission lines whose length is greater than 100 km. Transposition should be carried out at 1/3 and 2/3 of line length tower positions. Transposition of the transmission line after construction of LILLO shall be maintained by developer.
- 10.0 The switching impulse withstand voltage (wet) for 400 kV line shall be 1050 kVp. Lightning impulse withstand voltage (dry) for 400kV line shall be 1550 kVp, for 220kV line shall be 1050kVp & for 132kV line shall be 650kVp.
- 11.0 The Fault current for design of line shall be 63 kA for 1 sec for 400 kV, 50kA for 1sec for 220kV and 40Ka for 132kV.
- 12.0 Porcelain/ glass/ polymer insulators shall be used in the line as per requirement and site conditions. However, porcelain/ glass disc insulators string shall be required to be used for Pilot string irrespective of type of insulators used for suspension/tension location.
- 13.0 Each tower shall be earthed such that tower footing resistance does not exceed 10 ohms. Pipe type or Counterpoise type earthing shall be provided in accordance with relevant IS. If the value (before stringing) has been recorded higher than 10 ohm, earthing shall be changed to Counterpoise type. Additional earthing shall be provided on every 7 to 8 kms distance at tension tower for direct earthing of both shield wires.

14.0 The factors of safety for design of towers/ Monopoles and extensions shall be as under:-

Normal condition -1.1

Broken wire condition -1.1

15.0 The minimum factors of safety/load factor based on the ultimate strength of the foundation material when the towers are under full Ultimate loads under conditions of loadings combine with the other loads specific for the foundations shall be as given below :-

Normal condition -1.2

Broken wire condition -1.2

The above factors of safety will be considered on design loads of tower without factor of safety (1.1)

16.0 Pile type foundation shall be used for towers located in river or creek bed or on bank of river having scourable strata or in areas where river flow or change in river course is anticipated, based on detailed soil investigation and previous years' maximum flood discharge of the river, maximum velocity of water, highest flood level, scour depth & anticipated change in course of river based on river morphology data of at least past 20 years to ensure availability and reliability of the transmission line.

17.0 In case of 400kV voltage class lines, at least one out of two earth wires shall be OPGW and second earth wire, if not OPGW, shall be either of galvanized standard steel (GSS) or AACSR or any other suitable conductor type depending upon span length and other technical consideration.

18.0 Transmission line route shall be finalized, in consultation with appropriate authorities so as to avoid the habitat zones of endangered species and other protected species. Bird diverters, wherever required, shall be provided on the line.

19.0 The raised chimney foundation is to be provided in areas prone to flooding/water stagnation like paddy field/agricultural field & undulated areas to avoid direct contact of water with steel part of tower. The top of the chimney of foundation should be at least above HFL (High flood Level) or the historical water stagnation/logging level (based on locally available data) or above High Tide Level or 500 mm above Natural Ground level (whichever is higher).

20.0 For transmission line sections passing within a distance of 50 km from the boundary of the two wind zones, higher of the two wind zone shall be considered for design of towers located in such sections.

SPECIFIC TECHNICAL REQUIREMENT FOR SUBSTATION

The proposed 220 kV Tirwa (Kannauj) (2×160+2×63MVA) substation shall be Air Insulated Substation (AIS).

1.0 Salient features of 220/132/33 kV substation equipments and facilities

The design and specification of substation equipment's are to be governed by the following factors :-

2.0 TRANSFORMER

(A) 220/132 kV 160MVA Transformer

The transformers shall conform in all respect to latest edition of IS 2026 and CBIP specification except where specified otherwise. The transformer shall be core type, oil immersed, suitable for outdoor installation, suitable for continuous duty. The transformer shall be suitable for bi-directional flow of rated powers.

Both 220KV and 132KV systems, where these transformers are to be used are effectively earthed.

The rating and electrical characteristics of transformers shall be as follows:-

Transmission Service Agreement

i.	Maximum continuous capacity	160 MVA
ii.	Frequency	50 C/s
iii.	No. of phase	three
iv.	Rated Voltage of HV winding	220 KV
v.	Rated Voltage of IV winding	132 KV
vi.	Rated voltage of Auxiliary winding	11 KV
vii.	Percentage impedance	
	a) HV to IV at normal tap No. 13 at 100% rating.	10% ($\pm 7.5\%$)
	b) HV to IV at tap No. 1 at 100% rating.	11% ($\pm 10\%$)
	c) HV to IV at Tap No. 17 at 100% rating.	11% ($\pm 10\%$)
	d) HV to tertiary	60% (min.)
	e) IV to tertiary	45% (min.)
viii.	Connections	
	a) Series and common winding	Star
	b) Auxiliary winding	delta
ix.	Reference voltage group and terminal markings	HV/IV/Tertiary YNa0d11.
x.	On load taps equal steps of	(-5%) to (+15%) in 1.25% each for IV variation.
xi.	Polarity	Subtractive
xii.	Type of Cooling	ONAN- 96MVA/ONAF- 128MVA/OFAF- 160MVA
xiii.	Rated capacity of auxiliary winding (Loaded)	45 MVA
xiv.	D.C. Voltage for relays etc.	110 V/220V DC (as required)

(B) 132/33 kV 63MVA Transformer

The transformers shall conform in all respects to IS-2026 / 2009 & 2011 or latest amendment thereof, and CBIP specification except where specified otherwise.

The transformers shall have core type construction, ONAN, ONAF cooled and shall be suitable for outdoor service.

The salient rating and electrical characteristics of the transformer shall be as follows:-

Transmission Service Agreement

	Design Max. Ambient Air Temperature	50°C
i.	Max. Continuous capacity (MVA)	63
ii.	Normal Continuous capacity (MVA)	ONAN-50.40 MVA / ONAF-63MVA
iii.	Type of cooling	ONAN / ONAF
iv.	Rated voltage of HV winding (KV)	132
v.	Rated voltage of LV winding (KV)	33
vi.	Frequency (C/S)	50
vii.	No. of phases	Three
viii.	HV to LV Percentage impedance on rated MVA base at rated current and frequency at 75°C winding Temp.(at normal tap)	13.75% ± 3%
ix.	Connections	
a	HV winding	Star
b	LV winding	Star
x.	Vector Group	YN-yn0
xi.	On Load Tap Changer	Min. 500 Amp.
xii.	Earthing	Both sides effectively earthed.
xiii.	Limit for hot spot temp. for which the T/F is designed	140°C
xiv.	Temp. gradient between winding & oil	20°C average
xv.	Voltage to earth for which the star point will be insulated	38KV rms & 95KV p
xvi.	Over voltage operating capacity and duration	
a	110 % of rated voltage	continuous
b	125 % of rated voltage	For 60 sec,
c	140 % of rated voltage	For 5 sec.
xvii.	Type of Transformer	Core Type
xviii.	Core	
a	Material of Core lamination	CRGO silicon steel
b	Thickness of lamination	0.27mm
xix.	System Short circuit level & duration for which the Transformer shall be capable to be withstand the stresses	31.5 KA for 03 sec.

(C) 250 KVA 33 /0 .4 kV STATION TRANSFORMER

The transformers shall conform in all respects to ISS – 2026 2011 or latest

amendment thereof, and CBIP specification except where specified otherwise.

3.0 INSULATION

The dielectric strength of winding insulation and of the bushing shall conform to the values given in IS 2026-1977 except where specially required more.

System Voltage	Impulse test Voltage	One minute power frequency voltage withstand test
245 KV	950 KV	395 KV
145 KV	550 KV	230 KV
36 KV	170 KVp	70KV rms
11 KV (Tertiary)	170 KV	70 KV
Neutral	95 KV	38 KV

4.0 SWITCHING SCHEMES

It is essential that the system should remain secured even under conditions of major equipment or bus bar failure. Sub-station being the main connection for has large influence on the security of the system as a whole. The selection of the bus switching scheme is governed by the various technical and other related factors.

Substation	220 kV side	132 kV side	33 kV side
220 kV Tirwa (Kannauj) (2×160+2×63MVA) substation	Double Main Bus System	Double Main Bus System	Single Main Bus System

5.0 245 KV & 145 KV SF6 CIRCUIT BREAKERS

The Circuit Breaker shall comply to IEC 62271-100 and IS-13118 or latest amendment in general.

PRINCIPAL PARAMETERS

(A) FOR 245 KV SF6 CIRCUIT BREAKERS

Rated nominal system voltage	220KV
Rated voltage	245KV
Rating of C.B.	MVA
Rated frequency	50 Hz

Transmission Service Agreement

System neutral earthing	Effectively earthed
Type of C.B.	SF 6
No. of poles	3 – (pole operated)
Installation	Outdoor
Rated normal current	3150 Amp.
Rated short circuit breaking	1. RMS value of A.C. component current of the rated short circuit breaking current 40 kA for 3 Sec. 2. D.C.component as per IEC-62210
Rated duration of short circuit	3 Sec.
Transient frequency voltage	The rated transient recovery voltage of the breaker shall be used on 4 parameter method as defined in IEC 62210
Terminal faults	1 st pole of clear factor 1.3 value of 4 parameter as per IEC62210
Short line fault	As per IEC
Rated short circuit making capacity (peak)	100 kA
Operation duly cycle	0-t-co-t ₁ -co t = 0.3 Sec. t ₁ = 3 min.
Total breaking time	3 cycles
1.2/50 microsecond lightning impulse withstandvoltage to earth	1050 KV (min.)
One minute power frequency dry withstandvoltage to earth	460 KV (RMS)
Temperature rise	Final Steady State Temperature rise of current carrying part shall not exceed the limits specified in IEC 62210 with a site reference

Transmission Service Agreement

	ambient temperature of 50 ⁰ C
Operating mechanism	Spring/Electro pneumatic.
Type of tripping	Trip free
Number of auxiliary contacts	12 Nos NO. and 12 Nos NC
No. of trip coils	2 Nos.
No. of closing coils	1 No.
Breaking line charging current	125 Amps. at 245KV
Interrupting capacity in KA for kilometric faults	40 KA (RMS)
Arcing time (at 100% interruption capacity)	25 milliseconds.
Minimum dead time	300 milliseconds.
No. of break per phase	One
Tripping and closing control circuit voltage	110 V.DC
First pole to clear factor	1.3
(B) FOR 145 kV SF6 Circuit Breakers	
Rated nominal system voltage	132KV
Rated voltage	145KV
Rating of C.B.	7900 MVA
Rated frequency	50 Hz
System neutral earthing effectively earthed	
Type of C.B.	SF 6
No. of poles	3 – (gang operated)
Installation	Outdoor
Rated normal current	1250 Amp.
Rated short circuit breaking	1. RMS value of A.C. component current of the rated short circuit breaking current 31.5KVfor 3 Sec. 2. D.C. component as per IEC-

Transmission Service Agreement

	62271 – 100
Rated duration of short circuit	3 Sec.
Transient frequency voltage	The rated transient recovery voltage of the breaker shall be used on 4 parameters method as defined in IEC 62271-100
Terminal faults	1 st pole of clear factor 1.5 value of 4 parameter as per IEC62210
Short line fault	As per IEC
Rated short circuit making capacity (peak)	80 KA
Operation duty cycle	0-t-co-t ₁ -co t = 0.3 Sec. t ₁ = 3 min.
Total breaking time	3 cycles
1.2/50 microsecond lightning impulse withstand voltage to earth	650 KV (min.)
One minute power frequency dry withstand voltage to earth	275 KV (RMS)
Temperature rise	Final Steady State Temperature rise of current carrying part shall not exceed the limits specified in IEC62271-100 with a site reference ambient temperature of 50°C

Operating mechanism	Mechanical spring/Electro pneumatic.
Type of tripping	Trip free
Number of auxiliary contacts	12 Nos NO. and 12 Nos NC
No. of trip coils	2 Nos.
No. of closing coils	1 No.
Breaking line charging current	50 Amps. at 145KV
Interrupting capacity in KA for kilometric faults	31.5 KA (RMS)
Arcing time (at 100% interruption capacity)	25 milliseconds.
Minimum dead time	300 milliseconds.
No. of break per phase	One
Tripping and closing control circuit voltage	110 V.DC

6.0 36 KV VACUUM CIRCUIT BREAKERS STANDARD

STANDARD

The 36KV Vacuum circuit breaker shall comply with the requirements of latest issue of IEC-62210 except where specified otherwise in this specification. Equipment having better quality than the standards mentioned may also be considered provided documentary evidences are furnished.

PRINCIPLE PARAMETERS

The 36KV Vacuum circuit breaker shall be suitable for outdoor operation in solidly grounded system under climatic conditions specified and should have the following ratings:-

i)	Nominal system voltage	33 KV
ii)	Highest system voltage	36 KV
iii)	Rated voltage	36 KV
iv)	Interrupting capacity	1000 KVA
v)	Rated normal current	1250 A
vi)	Rated frequency	50 c/s
vii)	Rated basic insulation level	170 KV
viii)	Rated short circuit current	25 KA
ix)	Rated short circuit making current	35kA

x)	Rated operating sequence	0-0.3 Sec-Co-3 min-Co
xi)	Total break time for any current up to the rated breaking current	5-6 c/s
xii)	control circuit voltage	110 VDC

7.0 245 KV/145KV/36KV CURRENT TRANSFORMERS STANDARDS :

STANDARDS:

Except as modified in this specification, the Current Transformers and accessories shall be in accordance with IEC Publication 185 or latest editions.

TYPE & RATING :

The CTs should be of the outdoor type, single phase, 50 c/s, oil immersed, self cooled, hermetically sealed, suitable for operation in humid atmosphere in the tropical sun with climatic conditions as indicated in Clause 4.0 of General Technical Requirements. The CTs should also be suitable for use in area subject to heavy lightning storms.

The CTs shall comply with requirements indicated below :-

S. No.	Particulars	245 KV CTs	145 KV CTs	36 KV CTs
1.	Nominal system voltage	220 KV (r.m.s.)	132 KV (r.m.s.)	33 KV(r.m.s.)
2.	Highest system voltage	245 KV (r.m.s.)	145 KV (r.m.s.)	36 KV(r.m.s.)
3.	Frequency	50 Hz	50 Hz	50 Hz
4.	Earthing of system	Effective	Effective	Effective
5.	Insulation level (BIL)	1050 KV (peak)	650 KV (peak)	170 KV (peak)
6.	Transformation ratio	1000/800/500/300/1A	800- 500/1A (For 160 MVA T/F) 400-200-100/1A (For 40 MVA T/F) 800-400-200/1A (For Feeders)	400-200/1A (For Feeders) Two cores. 800-400/1A (For T/F) Three cores.
7.	No. of cores	Five	Three	Two /Three
8.	Short time current rating	40 KA for 3 sec.	31.5 KA for 3 sec.	25 KA for 3 sec.

S. No.	Particulars	245 KV CTs	145 KV CTs	36 KV CTs
	(Corresponding to 6500 MVA-fault level)			
9.	Creepage distance of bushing.	6125 mm (min.)	3625 mm (min.)	900 mm (min)
10.	Ratio selection	Primary reconnection & Secondary tapings.	Primary reconnection & secondary tapings	Primary reconnection & secondary tapings.
11.	Continuous primary current	120% of rated primary current.	125% of rated Primary current.	120% of rated primary current.
12.	Short time primary current.	Twice rated current.	Twice the rated current.	Twice the rated current.
13.	Continuous secondary current rating.	120%	2 Amps.	2 Amps. (min.)
14.	Rated withstand dynamic current (2.5) times of short time current rating.	100 KA (peak)	78.5 KA (peak)	62.5 KA (Peak)
15.	One minute power frequency withstand voltage (KV)	460 KV	275 KV	70 KV

8.0 245 KV CAPACITOR VOLTAGE TRANSFORMERS

STANDARDS:

Unless otherwise specified elsewhere in this specification, the rating as well as performance and testing of the 245 KV Capacitor Voltage Transformers along with associated accessories shall conform IS: 3156 (part IV) or latest issues/amendments of standards.

PRINCIPAL TECHNICAL PARAMETERS

The Voltage Transformers shall conform to the following specific parameters:

Sl. No	Parameters	Specification
1	2	3
1.	Type of installation	Single Phase, Oil filled hermetically sealed and outdoor types
2.	Type of mounting	Pedestal type
3.	Suitable for system frequency	50 Hz \pm 5%
4.	Highest system Voltage	245 Kv
5.	Transformation ratio on all windings	220,000 / 110 $\sqrt{3}$ $\sqrt{3}$
6.	Method of earthing	Effectively earthed
7.	1.2/50 micro second lightning impulse withstand voltage kV (peak)	1050
8.	1 minute dry power frequency withstand voltage kV (rms)	460
9.	Min. Creepage Distance mm.	6125
10.	Radio interference Voltage at 266 kV	Not exceeding 500 micro volts

9.0 **145 KV POTENTIAL TRANSFORMERS STANDARDS :**

Unless otherwise specified elsewhere in this specification, the rating as well as performance and testing of the 145 KV Potential Transformers along with associated accessories shall conform IS:3156:1992 or latest issues/amendments of standards.

PRINCIPAL TECHNICAL PARAMETERS

The Potential Transformers shall conform to the following specific parameters:

Sl. No	Parameters	Specification
1.	Type of installation	Single phase, Oil immersed, self cooled, Hermetically sealed, Outdoor type.
2.	Type of mounting	Mounting on steel structures
3.	Suitable for system frequency	50 Hz \pm 5%
4.	Highest system voltage	145 kV

Transmission Service Agreement

- | | | |
|-----|---|--|
| 5. | Transformation ratio on all windings | <u>132,000</u> / <u>110</u>

$\sqrt{3}$ / $\sqrt{3}$ |
| 6. | Method of earthing | Solidly Grounded |
| 7. | 1.2/50 micro second lightning impulse withstand voltage kV (peak) | 650 |
| 8. | 1 minute dry power frequency withstand voltage kV (rms) | 275 |
| 9. | One minute power frequency withstand voltage on secondary | 3 kV |
| 10. | Min. Creepage Distance mm. | 3625 |

10.0 36KV POTENTIAL TRANSFORMERS**Type & Rating :**

The potential transformers shall be outdoor type, single phase, oil immersed, self cooled, suitable for operation on three phase, 50 c/s, 33 KV Solidly Grounded system where the short circuit level of the system is of the order of 1000 MVA under the tropical climate conditions specified under General Requirement of Specification.

The potential transformers should have the following ratings:-

- | | |
|--------------------------------------|---|
| 1. Rated Voltage | 33 KV |
| 2. Nominal System Voltage | 33 KV |
| 3. Highest System Voltage | 36 KV |
| 4. Type of Supply | 3- Phase A.C. |
| 5. Frequency | 50 Cycles/sec. |
| 6. Earthing | Solidly Grounded |
| 7. No. of Secondary Windings | Two |
| 8. Transformation Ratio: | Winding – I & II 33 KV/ $\sqrt{3}$ / 110 Volt/ $\sqrt{3}$ |
| 9. Rated Burden: | |
| Each Winding – I | 50 VA |
| Each Winding – II | 50 VA |
| 10. Accuracy Class: | |
| Winding – I | 0.2 |
| Metering Winding – II | 3P for protection |
| 11. Basic Insulation Level (Impulse) | 170 KV (Peak) |

- | | |
|---------------------------|--|
| 12. Creep age distance | 900 mm (minimum) |
| 13. Rated Voltage Factor: | (a) Continuous 1.1
(b) 30 seconds 1.5 |
| 14. Service Conditions | Outdoor, direct in Sun service. |

11.0 245 AND 145 KV MOTOR OPERATED ISOLATORS

STANDARDS

The Isolators shall conform to IS-2544 or latest revisions with amendments available of relevant standards.

TYPE OF ISOLATORS

This specification covers following type of isolators-

- Bus isolators
- Line isolators
- Tandem isolators

12.0 36 kV ISOLATORS

TYPE OF ISOLATORS

- Three phase, 1250 A, 36 kV manually operated, Standard isolators without earth switch.
- Three phase, 1250 A, 36 kV manually operated, Standard isolators with one earth switch.

PRINCIPAL PARAMETERS

<u>Sl. No.</u>	<u>DETAILS</u>	<u>36 kV Isolator</u>
1	Rated Voltage	36 kV
2	System frequency	50 Hz
3	System Earthing	Effectively earthed
4	Type of Isolator	Outdoor, Horizontal air break suitable

Transmission Service Agreement

		for upright mounting
5	Continuous current rating	1250 A
6	Operating mechanism	Manual
7	Phase to phase spacing	1500 mm
8	Rated short time withstand current	25 kA (rms)
9	Rated peak short circuit current	62.5 kA (peak)
10	Temperature rise	As per IEC-129 derated for an ambient of 50°C
11	Seismic co-efficient	0.3 g.
12.	1.2/50 microsecond full wave positive and negative impulse withstand voltage to earth	70 kV (peak)
13.	One minute power frequency withstand voltage dry & wet to earth	70 kV (rms)
14.	Auxiliary Contacts	4 normally open and 4 normally closed.
15	Insulation level of insulators	
	i) Impulse voltage withstand test (1.2/50 micro second full wave)	170 kV (peak)
	ii) Power frequency withstand voltage to earth (dry & wet)	70 kV (rms)
16	Creepage distance of insulators :	
	i) Total	900 mm
	ii) Protected	450 mm
17	Minimum strength :	Suitable to withstand wind, short circuit and operating forces
	i) Torsional	
	ii) Cantilever	

18	Interlocks with circuit breaker	1 set of electrical and castel type interlocks.
19	Type of contacts	Hard drawn electrolytic copper with silver plating
20	Conductor take off	Horizontal/vertical according to actual requirement.
21.	Phase-to phase clearance	1500 mm

13.0 245/145/36KV SOLID CORE POST INSULATORS

STANDARDS

Insulators should conform to the latest publications of IS 2544 & IEC in all respects except BIL which should be 1050 kVp for 245 kV, and 650 kVp for 145 kV withstand. Equipment meeting any other authoritative standards which ensures equal or better quality than the IS mentioned above, is also acceptable.

REQUIREMENT FOR INSULATORS

(A) FOR 245 AND 145 KV POST INSULATORS

1)	Nominal voltage	: 245 KV	145 kV
2)	Highest system voltage	: 245 KV	145 kV
3)	System frequency	: 50Hz.	50 Hz.
4)	Number of phases	: 3 (Three)	3 (Three)
5)	Neutral	: Effectively earthed	Effectively earthed
6)	Short circuit current	: 40.0 KA	31.5 KA
7)	Phase to phase spacing	: 4.5 meters	3.0 meters
8)	Height of the insulator support Structure.	: 2750 mm.	2750 mm
9)	PCD of Top Flange	: 127 mm.	127 mm
10)	PCD of Bottom Flange	: 184 ± .2 mm.	184± .2 mm
11)	BIL	: 1050 KV	650 mm
12)	Height of insulator	: 2300.00mm	1500 mm

(B) FOR 36 KV POSTINSULATORS

- | | | |
|-----|---|-----------------------|
| 1) | Nominal voltage | : 36 KV |
| 2) | Highest system voltage | : 36 KV |
| 3) | System frequency | : 50Hz. |
| 4) | Number of phases | : 3 (Three) |
| 5) | Neutral | : Effectively earthed |
| 6) | Short circuit current | : 25.0 KA |
| 7) | Phase to phase spacing | : 1.5 meters |
| 8) | Height of the insulator support structure | : 2750 mm |
| 9) | PCD of Top Flange | : 127 mm |
| 10) | BIL | : 250 kV |
| 11) | Height of insulator | : 508.00 mm |

14.0 198 KV/120 KV/30 KV 10KA METAL OXIDE GAPLESS SURGE ARRESTERS**STANDARDS**

The Lightning Arrester shall conform to IEC 99 – 4 or latest revision with amendments available of the relevant standards.

PRINCIPAL PARAMETERS

a)	Rated system voltage	245 KV	145 KV	36 KV
b)	System neutral earthing	Effectively earthed		
c)	Installation	Outdoor		
d)	Rated arrester voltage	198 KV	120 KV	30 KV
e)	Max. continuous operating voltage (MCOV) at 500C	168 KV	102 KV	24 KV
f)	Nominal discharge current	10 KA (8/20 microwave)		
g)	Rated frequency	50 Hz		
h)	Minimum line discharge capacity	2 KJ / KV		
i)	Power frequency reference voltage	Not less than MCOV		
j)	Max. Residual voltage at nominal discharge current of 10 KA and 8/20 Micro Sec.	550 KVP	400 KVP	100 KVP
k)	Peak & value of high current (4/10 Microwave)	100 KA		
l)	Creepage distance	25 mm/KV		
m)	Partial discharge test on 1.05 MCOV	Net more than 50 Pico coulombs		
n)	One minute power frequency voltage of arrester housing	460 KV	275 KV	70 KV
o)	Impulse withstand voltage of arrester housing with 1.2/50 micro second wave.	1050 KVP	650 KVP	170 KVP
p)	Minimum prospective fault current.	40 KA		
q)	Radio interference voltage	Not more than 500 micro volts.		
r)	Pressure relief class	Class-A		

s)	Current for pressure relief.	40 KA
t)	Seismic acceleration	0.3 g.
u)	Long duration discharge class	Class 3 (as per IEC)

15.0 RELAYS

All relays shall conform to the requirements of IS: 3231 or other applicable approved standards. Relays shall be suitable for flush or semi-flush mounting on the front with connections from the rear. Relays shall be rectangular in shape and shall have dust tight, dull black or egg shell black enamel painted cases with transparent cover removable from the front.

16.0 TRANSMISSION LINE PROTECTION

The Line Protection Relays are required to protect the line and clear the faults on line within shortest possible time with reliability, selectivity and full sensitivity to all type of faults on lines. The general concept is to have primary & back up protection having equal performance requirement especially in respect of time as provided by Main protection called Main and Backup Protection.

17.0 PLCC

Power line carrier communication (PLCC) equipment complete for speech transmission line, tele-protection commands and data channels shall be provided on each 220 kV and 132 kV transmission lines. The protection for transmission line and the line compensated equipment shall have 100% backup communication channels. The PLCC equipments shall in brief include the following:-

Coupling Device, line traps, carrier terminals, protection couplers, HF cables, PABX and maintains and testing instruments.

A telephone exchange (PABX) of 24 lines shall be provided at new substation as means of effective communication among various buildings of the substation, remote end substation and with controls centres (RLDC/SLDC) etc.

Coupling Devices shall be suitable for 220 kV and 132 kV. Phase to Phase coupling for 220 kV and 132 kV single circuit line shall be provide. For Double circuit line inter circuit coupling can be provided. The pass band of coupling devices shall have sufficient

margin for adding communication channel in future if required. Necessary protection devices for safety of personal and low voltage part against power frequency voltages and transient voltage shall also be provided.

The line traps shall be broad band tuned suitable for blocking the complete range of carrier frequencies. Line trap shall have the necessary protective devices such as lightning arresters for the protection of tuning device and shall be equipped with corona rings. Decoupling network consisting of line traps and coupling capacitors may also be required at certain substation in case of extreme frequency congestion.

Wherever Fiber Optic/OPGW based telecommunication terminal equipment (i.e. SDH/MUX) are being provided, the same shall be utilized for Data, Voice and line protection applications. For protection purposes, both end Digital Protection Couplers (DPCs) shall be included at both ends. However, for line protection application, back up communication channel/link may be considered as per requirement so as to take care of OPGW/ telecommunication equipment outage.

Addition/Modification/Shifting/Re-commissioning etc. as required of PLCC due to LILO of transmission lines shall be covered under the scope according to element wise detailed given below:-

S. No.	Details of element (line)	Coverage under the scope
1	LILO of one circuit of 400 kV D/C (Twin Moose) Shamli - Aligarh Line at THDC (2x660 MW) Khurja Power Plant	Addition/Modification/Shifting/Re-commissioning of PLCC shall be covered under the scope
2	LILO of 220kV Mainpuri (220) - Bhauti PG (400) S/C line at 220kV Tirwa Substation	Addition/Modification/Shifting/Re-commissioning of PLCC shall be covered under the scope
3	LILO of 132kV Dibiyapur - Bidhuna S/C line at 220kV Tirwa Substation	Addition/Modification/Shifting/Re-commissioning of PLCC shall be covered under the scope

PLCC equipment for the transmission lines at serial 01, 02 & 03 covered under the package (Consisting of one set of analog PLCC channel along with circuit protection coupler and one set of Digital Protection Coupler for both ends of one line segment due to LILO of existing line) shall be provided by the bidder. All other associated equipment for ends cabling, coupling device and HF cable shall be provided by the

bidder. 48 kV DC Power supply for PLCC panels shall be provided by the respective substation bay owner. The wave traps, CVTs required for communications from PLCC shall be provided by respective substation owner.

18.0 Fire Fighting System

Fire Fighting System is general conforms to fire insurance regulations of India. The fire fighting system is proposed with both AC motor & diesel engine driven pumps housed in a fire fighting pump house building along with water storage tank of adequate capacity. Automatic heat actuated multisupplying system is proposed for transformers & reactors. In addition for alarm system based on heat/smoke detectors are proposed to be installed at sensitive points in a substation e.g. Cable Vault, Control Room building and other building etc. further, adequate water hydrants and portable fire extinguishers shall be provided in the substations. At existing substations the fire fighting system if already available, would be extended for meeting the additional requirements.

19.0 Illumination

Adequate normal & emergency AC & DC illumination shall be provided in the control room, GIS hall & other building of the substation. The switchyard shall also be provided with adequate illumination. The entire control room building, fire fighting pump house lighting shall be done by LED based low power consumption luminaries.

20.0 Control Room

Substation control room would be provided to house substation work station for station level control along with its peripheral and recording equipment, AC & DC distribution boards, DC batteries & associated battery chargers, Fire Protection panels, Telecommunication panels & other panels as per requirements. Air conditioning will be provided in the building as functional requirements.

SPECIFIC TECHNICAL REQUIREMENT FOR COMMUNICATION

In order to meet the requirement for grid management and operation of substations, Transmission Service Provider (TSP) shall conform to the following requirements.

On 220 kV and 132 kV D/C lines one OPGW containing 24 fibers is to be installed in place of conventional earth wire for grid management and substation operation purpose by STU/CTU and 48 fibers to be installed on LILO lines.

220 kV, 132 kV, 66 kV, 33 kV & 11 kV System

SL No	Description of parameters	220 kV System	132 kV System	66 kV System	33 kV System	11kV System
1.	System operating voltage	220 kV	132 kV	66 kV	33 kV	11 kV
2.	Maximum operating voltage of the system (rms)	245 kV	145 kV	72.5 kV	36 kV	12 kV
3.	Rated frequency	50	50 Hz	50 Hz	50 Hz	50 Hz
4.	No. of phase	3	3	3	3	3
5.	Rated Insulation levels					
	i. Full wave impulse withstand voltage (1.2/50 micro sec.)	1050 kVp	650 kVp	325 kVp	170 kVp	75 kVp
	ii. One minute power frequency dry and wet withstand voltage (rms)	-	275 kV	140 kV	70 kV	28 kV
6.	Corona extinction voltage	156 kV	105 kV	-	-	-
7.	Max. radio interference voltage for frequency between 0.5 MHz and 2 MHz at 92 kV rms for 132 kV system	1000 micro-volts	500 micro-volts	-	-	-
8.	Minimum creepage distance (25mm/kV)	6125mm	3625mm	1813mm	900mm	300mm
9.	Min. Clearances					
	i. Phase to phase	2100mm	1300mm	750mm	320mm	280mm
	ii. Phase to earth	2100mm	1300mm	630mm	320mm	140mm
	iii. Sectional clearances	5000mm	4000mm	3000mm	3000mm	3000mm
10.	Rated short circuit current for 1 sec. Duration	40kA/50kA (as applicable)	31.5 kA	31.5 kA	25 kA	25 kA
	System neutral earthing	Effectively earthed	Effectively earthed	Effectively earthed	Effectively earthed	Effectively earthed

Schedule: 2**Scheduled COD**

[Note: As referred to in the definition of “Element”, “Scheduled COD”, and in Articles 3.1.3 (c), 4.1 (b) and 4.3 (a) of this Agreement]

Sl. No.	Name of the Transmission Element	Scheduled COD in months from Effective Date	Percentage of Quoted Transmission Charges recoverable on Scheduled COD of the Element of the Project	Elements which are pre-required for declaring the commercial operation (COD) of the respective Element [BPC to insert precedence of commissioning of Element(s)] in project specific RFP and RFP Project Documents]
A.	Construction of 220/132/33kV Tirwa (Kannauj) Substation with associated lines			
1.	Construction of 220/132/33kV substation, Tirwa (Kannauj)	Last Date of 18 th Month from the date of transfer of SPV	80.42 %	Elements at S.No.1,2 &3 shall be required simultaneously
2.	LILO of 220kV Mainpuri (220) – Bhauti PG (400) S/C line at 220kV Tirwa S/s			
3.	LILO of 132kV Dibiyapur-Bidhuna S/C line at 220kV Tirwa S/s			
B.	Construction of LILO of one circuit of 400kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant			
1.	LILO of one circuit of 400 kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant*	Last Date of 7 th Month from the date of transfer of SPV	19.58%	-

*02 Nos. Bays of 400kV will be provided by THDC Khurja Power Plant

The payment of Transmission Charges for any Element, irrespective of its successful commissioning on or before its Scheduled COD, shall only be considered after successful commissioning of the Element(s), which are pre-required for declaring the commercial operation of such Element as mentioned in the above table.

Scheduled COD for the Project is: **18 Months from Effective Date.**

Schedule: 3

Safety Rules and Procedures

[Note: As referred to in Articles 5.6 of this Agreement]

1: Site Regulations and Safety:

The TSP shall establish Site regulations within sixty (60) days from fulfilment of conditions subsequent, as per Prudent Utility Practices setting out the rules to be observed till expiry of the Agreement at the Site and shall comply therewith.

Such Site regulations shall include, but shall not be limited to, rules in respect of security, safety of the Project, gate control, sanitation, medical care, and fire prevention, public health, environment protection, security of public life, etc.

Copies of such Site regulations shall be provided to the Long Term Transmission Customers and the CEA for the purpose of monitoring of the Project.

2: Emergency Work:

In cases of any emergency, the TSP shall carry out all necessary remedial work as may be necessary.

If the work done or caused to be done by any entity, other than the TSP, the TSP shall, reimburse the actual costs incurred, to the other Party carrying out such remedial works.

3: Site Clearance:

In the course of execution of the Agreement, the TSP shall keep the Site reasonably free from all unnecessary obstruction, storage, remove any surplus materials, clear away any wreckage, rubbish and temporary works from the Site, and remove any equipment no longer required for execution of the Agreement. After completion of all Elements of the Project, the TSP shall clear away and remove all wreckage, rubbish and debris of any kind from the Site, and shall leave the Site clean and safe.

4: Watching and Lighting:

Transmission Service Agreement

The TSP shall provide and maintain at its own expense all lighting, fencing, and watching when and where necessary for the proper construction, operation, maintenance / repair of any of the Elements of the Project, or for the safety of the owners and occupiers of adjacent property and for the safety of the public, during such maintenance / repair.

Schedule: 4**Computation of Transmission Charges****1.1 General**

The Monthly Transmission Charges to be paid to the TSP for providing Transmission Service for any Contract Year during the term of the Agreement shall be computed in accordance with this Schedule and paid as per applicable Regulations.

Illustration regarding payment of Transmission Charges under various scenarios (considering definitions of Contract Year, Expiry Date & Monthly Transmission Charges above) is as below: -

Illustration-1: In case the Project Elements achieve COD as per Schedule

Quoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	28	1-Feb-2018	1-Feb-2018	25%
Element 2	38	1-Dec-2018	1-Dec-2018	75%

Transmission Service Agreement

Tariff Payable as follows:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Feb-18 to 31-Mar-18	$140 \times 25\% \times ((28+31)/365)$	5.65		--	0.00
1-Apr-18 to 30-Nov-18	$140 \times 25\% \times (244/365)$	23.39		--	0.00
1-Dec-18 to 31-Mar-19	$140 \times 100\% \times (121/365)$				46.41
2	$140 \times 100\% \times 1$				140
3	$140 \times 100\% \times 1$				140
4	$140 \times 100\% \times 1$				140
5	$140 \times 100\% \times 1$				140
.....					
.....					
36 (1-Apr to 30-Nov)	$140 \times 100\% \times (244/365)$				93.59

Illustration-2: In case of extension of Scheduled CoD as per Article 4.4.1 & 4.4.2 of this Agreement

Quoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	20	1-Feb-2018	1-Jul-2018	25%
Element 2	28	1-Oct-2018	1-Dec-2018	75%

Transmission Service Agreement

Tariff Payable as follows:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Feb-18 to 31-Mar-18	--	0.00		--	0.00
1-Apr-18 to 30-Jun-18	--	0.00		--	0.00
1-Jul-18 to 30-Nov-18	140 X 25% X (153/365)	14.67		--	0.00
1-Dec-18 to 31-Mar-19	140 X 100% X (121/365)				46.41
2	140 X 100% X 1				140
3	140 X 100% X 1				140
4	140 X 100% X 1				140
5	140 X 100% X 1				140
.....					
.....					
36 (1-Apr to 30-Nov)	140 X 100% X (244/365)				93.59

Illustration-3: In case of delay in achieving COD of Project & all individual Elements (COD of the Project achieved in Contract Year 1)

Quoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	20	1-Feb-2018	1-Dec-2018	25%
Element 2	28	1-Oct-2018	1-Dec-2018	75%

Transmission Service Agreement

Tariff Payable as follows:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Feb-18 to 31-Mar-18	--	0.00		--	0.00
1-Apr-18 to 30-Sept-18	--	0.00		--	0.00
1-Oct-18 to 30-Nov-18	--	0.00	1-Oct-18 to 30-Nov-18	--	0.00
1-Dec-18 to 31-Mar-19	140 X 100% X (121/365)				46.41
2	140 X 100% X 1				140
3	140 X 100% X 1				140
4	140 X 100% X 1				140
5	140 X 100% X 1				140
.....					
.....					
36 (1-Apr to 30-Nov)	140 X 100% X (244/365)				93.59

Illustration-4: In case of delay in achieving COD of Project & all individual Elements (COD of the Project achieved in Contract Year other than Contract Year 1)Quoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	38	1-Oct-2019	1-May-2020	25%
Element 2	38	1-Oct-2019	1-May-2020	75%

Tariff Payment to be paid as:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Oct-19 to 31-Mar-20	--	0.00	1-Oct-19 to 31-Mar-20	--	0.00
1-Apr-20 to 30-Apr-20	-	0.00	1-Apr-20 to 30-Apr-20	-	0.00
1-May-20 to 31-Mar-21	140 X 100% X (335/365)				128.49
2	140 X 100% X 1				140
3	140 X 100% X 1				140
4	140 X 100% X 1				140
5	140 X 100% X 1				140
.....					
.....					
36 (1-Apr to 30-Apr)	140 X 100% X (30/ 365)				11.51

Illustration5: In case of delay in achieving COD of Element but Project COD achieved on timeQuoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	20	1-Feb-2018	1-Jul-2018	25%
Element 2	30	1-Dec-2018	1-Dec-2018	75%

Tariff Payable as follows:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Feb-18 to 31-Mar-18	--	0.00		--	0.00
1-Apr-18 to 30-Jun-18	--	0.00		--	0.00
1-Jul-18 to 30-Nov-18	140 X 25% X (153/365)	14.67		--	0.00
1-Dec-18 to 31-Mar-19	140 X 100% X (121/365)				46.41
2	140 X 100% X 1				140
3	140 X 100% X 1				140
4	140 X 100% X 1				140
5	140 X 100% X 1				140
.....					
.....					
36 (1-Apr to 30-Nov)	140 X 100% X (244/365)				93.59

Illustration-6: In case of early commissioning of ProjectQuoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	38	1-Oct-2019	1-Jul-2019	25%
Element 2	38	1-Oct-2019	1-Jul-2019	75%

Tariff Payment to be paid as:

Transmission Charges for Element 1		Transmission Charges for Element 2	
1-July-19 to 31-Mar-20	140 X 100% X (274/365)		105.09
2	140 X 100% X 1		140
3	140 X 100% X 1		140
4	140 X 100% X 1		140
5	140 X 100% X 1		140
.....			
.....			
36 (1-Apr to 30-Jun)	140 X 100% X (91/365)		34.91

Illustration-7: In case of early commissioning of an elementQuoted Transmission Charges: **Rs. 140 Million**

Completion Schedule:

Element No.	Completion Schedule in Months	Scheduled CoD of the Element	Actual CoD of the Element	% Charges recoverable on Scheduled CoD of the Element
Element 1	38	1-Oct-2019	1-Apr-2019	25%
Element 2	38	1-Jul-2019	1-Jul-2019	75%

Tariff Payment to be paid as:

Transmission Charges for Element 1			Transmission Charges for Element 2		
1-Apr-2019 to 30-Jun-19	140 X 25% X (91/365)	8.72	1-Apr-2019 to 30-Jun-19	--	0.00
1-July-19 to 31-Mar-20	140 X 100% X (274/ 365)				105.09
2	140 X 100% X 1				140
3	140 X 100% X 1				140
4	140 X 100% X 1				140
5	140 X 100% X 1				140
.....					
.....					
36 (1-Apr-30-Jun)	140 X 100% X (91/365)				34.91

The Transmission Charges shall be payable on monthly basis as computed above.

1.2 Computation of Monthly Transmission Charges

The Monthly Transmission Charges for any month m in a Contract Year n shall be calculated as below:

For AC System:

- a. If Actual Transmission System Availability for the month m of contract year n is greater than or equal to 98% and less than or equal to 98.5%;

$$\text{Monthly Transmission Charges MTC}(m) = T_{mn} * 1$$

- a. If Actual Transmission System Availability for the month m of contract year n exceeds 98.5% and less than or equal to 99.75%;

$$\text{Monthly Transmission Charges MTC}(m) = T_{mn} * (AA / 98.5\%)$$

- c. If Actual Transmission System Availability for the month m of contract year n is greater than 99.75%;

$$\text{Monthly Transmission Charges MTC}(m) = T_{mn} * (99.75\% / 98.5\%)$$

- d. If Actual Transmission System Availability for the month m of contract year n is less than 98% and greater than or equal to 95.00%;

Transmission Service Agreement

Monthly Transmission Charges $MTC(m) = T_{mn} * (AA/ 98\%)$

- e. If Actual Transmission System Availability for the month m of contract year falls below 95%;

Monthly Transmission Charges $MTC(m) = T_{mn} * (AA/ 98\%) - 0.02 * (T_{mn} * (AA/ 95\%))$

For DC System:

- a. If Actual Transmission System Availability for the month m of contract year n is greater than or equal to 95% and less than or equal to 96%;

Monthly Transmission Charges $MTC(m) = T_{mn} * 1$

- b. If Actual Transmission System Availability for the month m of contract year n exceeds 96% and less than or equal to 99.75%;

Monthly Transmission Charges $MTC(m) = T_{mn} * (AA/ 96\%)$

- c. If Actual Transmission System Availability for the month m of contract year n is greater than 99.75%;

Monthly Transmission Charges $MTC(m) = T_{mn} * (99.75\% / 96\%)$

- d. If Actual Transmission System Availability for the month m of contract year n is less than 95% and greater than or equal to 92.00%;

Monthly Transmission Charges $MTC(m) = T_{mn} * (AA/ 95\%)$

- e. If Actual Transmission System Availability for the month m of contract year falls below 92%;

Monthly Transmission Charges $MTC(m) = T_{mn} * (AA/ 95\%) - 0.02 * (T_{mn} * (AA/ 92\%))$

where:

- AA is the actual Availability, as certified by RPC, as per procedure provided in Schedule 6.
- m is the month in Contract Year 'n'
- T_{mn} = Transmission Charges for the month 'm' in Contract Year 'n' = $(\text{Transmission Charge} / \text{no. of days in the Year } n) * \text{no. of days in month } m$

Provided, no Transmission Charges shall be paid during the period for which the RLDC has not allowed the operation of the Element/Project due to the failure of the TSP to operate it as per the provisions of the Grid Code.

1.3 Recovery from Short Term Transmission Customers

The charges payable by the Short Term Intra State Transmission Customers shall be calculated on the basis of the provisions of the Uttar Pradesh Electricity Regulatory Commission (Terms and Conditions or Open Access) Regulations, 2019 or as amendment from time to time.

In accordance to Uttar Pradesh Electricity Regulatory Commission (Terms and Conditions or Open Access) Regulations, 2019 or as amendment from time to time, the Short Term Intra State Transmission Consumers shall pay the transmission Charges to STU. However, even in special case, any payment made directly to TSP, for use of element/project, the same shall be reduced from the transmission charge payable by Long Term Transmission Customer's to TSP.

1.4 Scheduling Charges

The payment of RLDC fee & charges, in accordance with relevant regulations of UPERC, shall be the responsibility of the TSP. Whereas, the payment of scheduling charges to the respective SLDC, as the case may be, shall be the responsibility of the Long Term Transmission Customer's.

Schedule: 5**Quoted Transmission Charges**

[Quoted Transmission Charges from Annexure - 21 of the RFP of the Selected Bidder to be inserted here]

[To be incorporated from the Bid of the Selected Bidder submitted during the e-reverse auction after its selection]

Quoted Transmission Charges: Rs. Million

.Proportionate Transmission Charges payable for each Element of the Project:

S. No.	Name of the Transmission Element	Percentage of total Transmission Charges payable to the TSP on Commissioning / COD of the Element
A.	Construction of 220/132/33kV Tirwa (Kannauj) Substation with associated lines	
1.	Construction of 220/132/33kV substation, Tirwa (Kannauj)	80.42 %
2.	LILO of 220kV Mainpuri (220) – Bhauti PG (400) S/C line at 220kV Tirwa S/s	
3.	LILO of 132kV Dibiyapur-Bidhuna S/C line at 220kV Tirwa S/s	
B.	Construction of LILO of one circuit of 400kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant	
1.	LILO of one circuit of 400 kV D/C (Twin Moose) Shamli-Aligarh Line at THDC 2×660 MW Khurja Power Plant*	19.58%

*02 Nos. Bays of 400kV will be provided by THDC Khurja Power Plant

Schedule: 6**Appendix B of Uttar Pradesh Electricity Regulatory Commission (Multi Year Tariff for Distribution and Transmission) Regulations, 2019****Procedure for Calculation of Transmission System Availability Factor for a Month****Annexure-B: Procedure for calculation of Transmission System Availability Factor for a Month**

- 1) Transmission System Availability Factor for a Calendar Month (TAFM) shall be calculated by the respective Transmission Licensee, got verified and certified by the SLDC and separately for each A.C. Transmission System and grouped according to sharing of transmission charges.
- 2) TAFM, in percent, shall be equal to $(100 - 100 \times \text{NAFM})$, where NAFM is the non-availability factor in per unit for the month, for the Transmission System / sub-system.
- 3) NAFM for A.C. systems / sub-systems shall be equal to:

$$\text{NAFM} = \frac{[\sum_{i=1}^L (\text{OH}_i \times \text{Cktkm}_i \times \text{NSC}_i) + \sum_{t=1}^T (\text{OH}_t \times \text{MVA}_t \times 2.5) + \sum_{r=1}^R (\text{OH}_r \times \text{MVAR}_r \times 4)]}{\text{THM} \times [\sum_{i=1}^L (\text{Cktkm}_i \times \text{NSC}_i) + \sum_{t=1}^T (\text{MVA}_t \times 2.5) + \sum_{r=1}^R (\text{MVAR}_r \times 4)]}$$

Where,

I = identifies a transmission line circuit;

t = identifies a transformer / Inter connecting transformer (ICT);

r = identifies a bus reactor, switchable line reactor or Static VAR Compensation (SVC);

L = total number of line circuits;

T = total number of bus reactors, switchable line reactors and SVCs;

R = total number of bus reactors, switchable line reactors and SVCs;

OH = Outage hours or hours of non-availability in the month, excluding the duration of outages not attributable to the Transmission Licensee,

Ckt km = Length of a transmission line circuit in km;

NSC = Number of sub-conductors per phase;

MVA = MVA rating of a transformer / ICT;

MVAR = MVAR rating of a bus reactor switchable line reactor or an SVC (in which case it would be the sum of inductive and capacitive capabilities);

THM = Total hours in the month;

- 4) The transmission elements under outage due to following reasons shall be deemed to be available:
 - a. Shutdown availed for maintenance or construction of elements of another transmission scheme. If the other transmission scheme belongs to Transmission Licensee, the SLDC may restrict the deemed availability period to that considered reasonably by him for the work involved.
 - b. Switching off of a transmission line to restrict over voltage and manual tripping of switched reactors as per the directions of SLDC.
- 5) Outage time of transmission elements for the following contingencies shall be excluded from the total time of the element under period of consideration:
 - a. Outage of elements due to force majeure events such as war, strike riot, floods, earthquake etc. beyond the control of the Transmission Licensee.
 - b. However, onus of satisfying the SLDC that element outage was due to aforesaid events and not due to design failure shall rest with the Transmission Licensee. A reasonable restoration time for the element shall be considered by SLDC and any additional time taken by the Transmission Licensee for restoration of the element beyond the reasonable time shall be treated as outage time attributable to the Transmission Licensee. SLDC may consult the Transmission Licensee or any expert for estimation of reasonable time. Circuits restored through ERS (Emergency Restoration System) shall be considered as available.
- 6) Outage caused by grid incident / disturbance not attributable to the Transmission Licensee, e.g. faults in substation or bays owned by other agency causing outage of the Transmission Licensee's elements and tripping of lines, ICTs, etc due to grid disturbance. However, if the element is not restored on receipt of direction from SLDC while normalizing the system following grid incident / disturbance within reasonable time, the element will be considered not available for the period of outage after issuance of SLDC's direction for restoration.

Schedule: 7

Entire Bid (both financial bid and technical bid) of the Selected Bidder to be attached here

Schedule: 8

Contract Performance Guarantee

(To be on non-judicial stamp paper of appropriate value as per Stamp Act relevant to place of execution. Foreign entities submitting Bids are required to follow the applicable law in their country.)

In consideration of the[Insert name of the SPV or Selected Bidder on behalf of the TSP, or Lead Member in case of the Consortium, with address] agreeing to undertake the obligations under the Transmission Service Agreement datedand the other RFP Project Documents and the Long Term Transmission Customers and the[Insert the name of the BPC], agreeing to execute the *RFP Project Documents* with the Selected Bidder, regarding setting up the Project, the [Insert name and address of the bank issuing the guarantee and address of the head office] (hereinafter referred to as “Guarantor Bank”) hereby agrees unequivocally, irrevocably and unconditionally to pay to Long Term Transmission Customers at[Insert the Place from the address of the Long Term Transmission Customers indicated in the TSA] forthwith on demand in writing from the Long Term Transmission Customers or any Officer authorized by it in this behalf, any amount up to and not exceeding Rupees Crores (Rs.) only [Insert the amount of the bank guarantee] on behalf of M/s. [Insert name of the Selected Bidder or SPV].

This guarantee shall be valid and binding on the Guarantor Bank up to and includingand shall not be terminable by notice or any change in the constitution of the Bank or the term of the Transmission Service Agreement or by any other reasons whatsoever and our liability hereunder shall not be impaired or discharged by any extension of time or variations or alternations made, given, or agreed with or without our knowledge or consent, by or between parties to the respective agreement.

Our liability under this Guarantee is restricted to Rs. Crores (Rs.) only. Our Guarantee shall remain in force until [Insert the date of validity of the Guarantee as per Article 3.1.2 of this Agreement]. The Long Term Transmission Customers, shall be entitled to invoke this Guarantee up to three hundred sixty five (365) days of the last date of the validity of this Guarantee.

The Guarantor Bank hereby expressly agrees that it shall not require any proof in addition to the written demand from (in its roles as the Long Term Transmission Customers), made in any format, raised at the above mentioned address of the Guarantor Bank, in order to make the said payment to Long Term Transmission Customers.

The Guarantor Bank shall make payment hereunder on first demand without restriction or conditions and notwithstanding any objection by [Insert name of the Selected Bidder], [Insert name of the TSP] and / or any other person. The Guarantor Bank shall not require Long Term Transmission Customers to justify the invocation of this BANK GUARANTEE, nor shall the Guarantor Bank have any recourse against Long Term Transmission Customers in respect of any payment made hereunder.

THIS BANK GUARANTEE shall be interpreted in accordance with the laws of India.

The Guarantor Bank represents that this BANK GUARANTEE has been established in such form and with such content that it is fully enforceable in accordance with its terms as against the Guarantor Bank in the manner provided herein.

THIS BANK GUARANTEE shall not be affected in any manner by reason of merger, amalgamation, restructuring, liquidation, winding up, dissolution or any other change in the constitution of the Guarantor Bank.

THIS BANK GUARANTEE shall be a primary obligation of the Guarantor Bank and accordingly Long Term Transmission Customers shall not be obliged before enforcing this BANK GUARANTEE to take any action in any court or arbitral proceedings against [Insert name of the SPV] or the Selected Bidder, as the case may be, to make any claim against or any demand on [Insert name of the SPV] or the Selected Bidder, as the case may be, or to give any notice to [Insert name of the SPV] or the Selected Bidder, as the case may be, or to enforce any security held by the Long Term Transmission Customers or to exercise, levy or enforce any distress, diligence or other process against [Insert name of the SPV] or the Selected Bidder, as the case may be.

The Guarantor Bank acknowledges that this BANK GUARANTEE is not personal to Long Term Transmission Customers and may be assigned, in whole or in part, (whether absolutely or by way of security) by Long Term Transmission Customers to any entity to whom the Long Term Transmission Customers is entitled to assign its rights and obligations under the Transmission Service Agreement.

The Guarantor Bank hereby agrees and acknowledges that Long Term Transmission Customers shall have a right to invoke this Bank Guarantee either in part or in full, as it may deem fit.

Transmission Service Agreement

Notwithstanding anything contained hereinabove, our liability under this Guarantee is restricted to Rs. Crores (Rs.) only and it shall remain in force until[Date to be inserted on the basis of Article 3.1.2 of the Transmission Service Agreement], with an additional claim period of three hundred sixty five (365) days thereafter. This BANK GUARANTEE shall be extended from time to time for such period, as may be desired by [Insert name of the Selected Bidder or Lead Member in case of the Consortium or SPV]. We are liable to pay the guaranteed amount or any part thereof under this Bank Guarantee only if Long Term Transmission Customers serves upon us a written claim or demand.

In witness where of:

Signature

Name:

Power of attorney No.:

For:

..... [Insert Name of the Bank]

Banker's Seal and Full Address, including mailing address of the Head Office

Schedule: 9

Methodology for determining the Relief Under Force Majeure Event & Change in Law during Construction Period

The relief in the form of revision in tariff due to Force Majeure Event leading to extension of Scheduled COD for a period beyond one hundred eighty (180) days and/ or Change in Law during the construction period shall be as under:

$$\Delta T = [(P \times d)] \div [1 - (1 + d)^{-n}]$$

Where,

ΔT = Change in Transmission Charges for each year

P = Sum of cumulative increase or decrease in the cost of the Project due to Change in Law and interest cost during construction corresponding to the period exceeding one hundred eighty (180) due to Force Majeure Event leading to extension of Scheduled COD for a period beyond one hundred eighty (180) days

n = number of years over which the Transmission Charges has to be paid

d = Discount rate as notified by the CERC, applicable on the Bid Deadline

The increase in Transmission Charges as stated above shall be applicable only if the value of increase in Transmission Charges as calculated above exceeds 0.30% (zero point three percent) of the quoted Transmission Charges of the TSP.

Schedule: 10**List of Long Term Transmission Customer**

Note: As referred in the recital of this Agreement and in the definition of “Long Term Transmission Customer” in this Agreement

Sl. No.	Name of the Long Term Transmission Customer	Address of Registered Office	Law under which incorporated	Allocated Project Capacity (in %)
1.	Paschimanchal Vidyut Vitran Nigam Ltd.	Hydel Colony, Victoria Park, Meerut-250001 E-mail: md@pvvnl.org Fax: 0121-2666062 Phone: 0121-2665734	Companies Act	31%
2.	Madhyanchal Vidyut Vitran Nigam Ltd.	4A Gokhale Marg, Lucknow-226001 E-mail: md.mvvnl2010@gmail.com Fax: 0522-2208769 Phone: 0522-2208737	Companies Act	21%
3.	Purvanchal Vidyut Vitran Nigam Ltd.	Vidyut Nagar, Bhikharipur, P.O. DLW, Varanasi-221010 E-mail: mdpurvanchalvvn@gmail.com Fax: 0542-2319158 Phone: 0542-2318437	Companies Act	23%
4.	Dakshinanchal Vidyut Vitran Nigam Ltd.	Urja Bhawan, NH-2 (Agra-Delhi bypass Road) Sikandra Agra-282002 E-mail: dvvnmd@gmail.com Fax: 0562-2605465 Phone: 0562-2605699	Companies Act	22%
5.	Kanpur Electricity Supply Co. Ltd.	Kesa House, 14/17 Civil Lines, Kanpur - 208001 E-mail: md@kesco.co.in Phone: 0512-2530832	Companies Act	3%

Note: The above list of Long Term Transmission Customer subject to change. Any addition or deletion in this list after the award of Lol shall be duly notified to the parties to the Agreement.

The new Long Term Transmission Customer shall become a party to the TSA after agreeing to the terms and conditions of this Agreement and signing a Supplemental Agreement as annexed in Schedule 11 to this Agreement.

Schedule: 11

SUPPLEMENTARY AGREEMENT

BETWEEN

..... [Insert name of the TSP]

AND

..... [Insert name of the new Long Term Transmission
Customer 1],

..... [Insert name of the new Long Term Transmission
Customer 2],

.
.
.

..... [Insert name of the new Long Term Transmission
Customer n]

THIS SUPPLEMENTARY AGREEMENT entered into on [Insert date]
[Insert day] of[Insert month] in [Insert year] by and
between, [Insert name of the Transmission Service Provider]
incorporated under the Companies Act, 1956, having its registered office at
(here in after referred to as Transmission Service Provider or “TSP”, which expression shall
unless repugnant to the context or meaning thereof include its successors, and permitted
assigns) as Party of the first part,

AND

..... [Insert name of the new Long Term Transmission Customer ‘1’] having its
registered office at..... [Insert address of the new Long Term Transmission Customer
1] and having an Allocated Project Capacity as specified in the Table 2 of this
Supplementary Agreement, (which expression shall unless repugnant to the context or
meaning thereof include its successors, and permitted assigns) as Party of the second part,

..... [Insert name of the new Long Term Transmission Customer ‘2’] having its
registered office at..... [Insert address of the new Long Term Transmission Customer
1] and having an Allocated Project Capacity as specified in the Table 2 of this
Supplementary Agreement, (which expression shall unless repugnant to the context or
meaning thereof include its successors, and permitted assigns) as Party of the third part,

.

SPV [which is under incorporation]

..... [Insert name of the new Long Term Transmission Customer 'n'] having its registered office at..... [Insert address of the new Long Term Transmission Customer 1] and having an Allocated Project Capacity as specified in the Table 2 of this Supplementary Agreement, (which expression shall unless repugnant to the context or meaning thereof include its successors, and permitted assigns) as Party of the nth part.

WHEREAS:

- A. The TSP has executed the TSA with the existing Long Term Transmission Customer as listed out in Schedule 10 of the TSA.
- B. The existing Long Term Transmission Customer as listed out in Schedule 10 of the TSA have executed the TSA with the TSP.
- C. The TSP has agreed to provide the Transmission Service to the existing Long Term Transmission Customer as per the terms and conditions of the TSA.
- D. The Allocated Project Capacity of the existing Long Term Transmission Customer as on this date.....[Insert date] is as detailed below:

Table : 1

Sl. No.	Name of the existing Long Term Transmission Customer	Allocated Project Capacity (in MW)
1		
2		
3		
.		

- E. The existing Long Term Transmission Customer have agreed, on the terms and subject to the conditions of the TSA, to use the available transmission capacity of the Project and pay TSP the Transmission Charges as determined in accordance with the terms of the TSA.

NOW THEREFORE THIS AGREEMENT WITNESSETH as under:

- 1) The new Long Term Transmission Customer and their Allocated Project Capacity as on this date.... [Insert date] are as detailed below:

Table 2:

Sl. No.	Name of the new Long Term Transmission Customer	Allocated Project Capacity (in MW)
1		

Transmission Service Agreement

2		
3		
.		
.		

- 2) The new Long Term Transmission Customer have been granted long term open access from the CTU/STU, as the case may be, and are beneficiaries to the Project.
- 3) The new Long Term Transmission Customer agree to the terms and conditions laid down in the TSA, to use the Project and pay the TSP the Transmission Charges as determined in accordance with the terms of the TSA and the provisions of this Supplementary Agreement.
- 4) The TSP agrees to provide the Transmission Service to the new Long Term Transmission Customer as per the terms and conditions of the TSA.
- 5) All terms and conditions of the TSA between the TSP and the existing Long Term Transmission Customer (as listed out in Table 1 of this Supplementary Agreement) shall apply, mutatis mutandis without any change, to the new Long Term Transmission Customer (as listed out in Table 2 of this Supplementary Agreement)

IN WITNESS WHEREOF the parties have executed these presents through their Authorised Representatives

WITNESS:

Table 3: WITNESS

- | | |
|--|--|
| 1. Signature:
Name:
Designation: | For and on behalf of
[Insert name of the TSP] |
| 2. Signature:
Name:
Designation: | For and on behalf of
[Insert name of the new Long Term Transmission Customer 1] |
| 3. Signature:
Name:
Designation: | For and on behalf of
[Insert name of the new Long Term Transmission Customer 1] |
| .
n. Signature: | ;
For and on behalf of |

Transmission Service Agreement

Name:

[Insert name of the new Long

Designation:

Term Transmission Customer
n]